13 September 2019

# SOLA Access Information Language SAIL A7 Protocol Specification Guide

SOLA 14 v.8.0.1 13 Sept 2019



1.0	Introduction	9
	1.1 Scope	9
	1.2 Purpose	9
	1.3 Readership	9
	1.4 Revision History	9
2.0	Overview	12
	2.1 Message Format	12
	2.2 Sequencing	13
	2.3 Terms and Acronyms	13
	2.4 Required Fields	13
	2.5 Drop Copy for SAIL protocol	14
	2.6 Message counting for throttling	14
3.0	Message Headers Layout	15
	3.1 SAIL Message Headers	15
	Incoming Message Header	15
	Outgoing Message Header	15

3.2 Data types	16		
Clearing Data Owner Data	16 16		

17

#### 4.0 **Technical Messages**

4.1	TA: Disconnection Instruction	17
4.2	TC: User Connection	17
4.3	TD: User Disconnection	19
4.4	TE: Technical Error Notice	19
4.5	TH: Heartbeat (Outbound)	20
4.6	TI: Heartbeat (Inbound)	20
4.7	TK: Connection Acknowledgement	20
4.8	TL: Disconnection Acknowledgement	21
49	TM: Disconnection Instruction Acknow	ledaemei

4.10 TO: Out of Sequence 21 4.11 TT: End of Transmission 22

5.0	Bus	siness Messages	23	
	5.1	BD: Bulk Quote Data	23	
	5.2	BO: Bundle Order	23	
	5.3	BP: Best Price Setter Notice	25	
	5.4	ER: Error Notice	25	
	5.5	FS: Flexible Series Creation	25	
	5.6	GC: Global Cancellation	26	
	5.7	IX: Underlying Price	26	
	5.8	KB: Proposal Acknowledgment	26	
	5.9	KD: Bulk Quote Data Acknowledgment	t 28	
	5.10	KE: Order Acknowledgment	28	
	5.11	KF: Flexible Series Creation Acknowle	dgment	30
	5.12	KG: Global Cancellation Confirmation	31	
	5.13	KM: Order Modification Acknowledgme	ent31	
	5.14	KN: New Strategy Instrument Acknowle	edgement	31
	5.15	KO: Standard Acknowledgment	32	
	5.16	KX: Proposal Cancellation Acknowledge	gment	32
		KZ: Order Cancellation Acknowledgme	ent33	
		LA: Bulk Quote Acknowledgment	33	
		LB: Bulk Command Message Acknowl	edge33	
		MK: Risk Limits Configuration	34	
		MM: Monitoring MM Status	34	
		MN: Risk Limits Usage Notice	35	
		MQ: MMP Parameters Configuration	36	
		MU: Monitoring ATM Series	36	
		NG: Group State Change	36	
		NI: Instrument State Change	37	
		NL: Leg Execution Notice	37	
		NP: Cancellation of All Quotes Notices	40	
		NQ: MMP Parameters Update Notice NT: Execution Notice	40	
			41	
		NU: Update Order Notice NX: Execution Cancellation Notice	44	
		NY: Leg Execution Cancellation Notice		
		NZ: Order Cancellation Notice (by syst		
		OB: Order Proposal	45	
		OE: Order Entry	46	
		OM: Order Modification	47	
		ON: New Strategy Instrument	48	
		OX: Cross Entry	49	
		PN: Proposal Notice	50	
		PR: Proposal Request	51	
		PU: Proposal Update	52	
		XP: Proposal Refusal Request	54	
	5.44	Q <i>: Bulk Quote</i>	54	
		RP: Market Maker Protection Subscrip	tion55	
		RQ: Indication of Interest to Trade	55	
	5.47	RT: Risk Master Switch	56	
	5.48	XE: Order Cancellation	56	

6.0	Error Codes	57					
	<ul><li>6.1 Error Code Numbers and Description</li><li>6.2 Internal error codes</li></ul>	57 62					
7.0	Field Definitions	63					
	7.1 Field types and description	63					
8.0	Appendix A: Regular Message I	Flow 74					
	8.1 Status Information Dissemination	74					
	A Group of Instruments is Opening	74					
	Authorize / Forbid / Reserve Order Entry	74					
	Interrupt / Forbid an Instrument Group	74					
	8.2 Order Processing	74					
	Order is rejected 74						
	Order is accepted but not executed with a price that does not improve the market 74						
	Order is accepted but not executed with a price that improves the market 75						
	Order is accepted and partially executed Order is accepted and fully executed	75 75					
	Stop order triggered trades partially	76					
	Market order partially trades	77					
	Pre-opening	77					
	8.3 Time validity	77					
	Immediate Order is partially executed in Trading Session 77						
	Immediate Order is not executed in Trading Session 78						
	While Connected orders cancelled on disconnection with the Exchange 78						
	While Connected orders cancelled on End Of Day       79         Good Till Date orders cancelled on date reached 79       79						
	Good Till Cancel orders cancelled on mess						
	Day orders cancelled during the End of Day						

13 September 2019

Minimum quantity with partial execution 81 Disclosed quantity order 81 8.5 Circuit Breaker 82 Limit Order Trigger Circuit Breaker when the Circuit Breaker State is Suspended 82 Limit Order Trigger Circuit Breaker and when the Circuit Breaker state is Reserved 82 Order eliminated by an instrument limit update (X, Y or Z Validation) 83 Incoming limit order with price outside the instrument minimum or maximum price (X Validation)83 8.6 Self Execution Prevention 84 Cancel Incoming Order (CIO) Rule (order vs order) with no execution 84 Cancel Incoming Order (CIO) Rule (order vs order) triggered after partial execution 84 Cancel Resting Order (CRO) Rule (order vs order) with no execution (first book level) 85 Cancel Resting Order (CRO) Rule (order vs order) when incoming Market Order is at any price with no execution (first book 85 level) Cancel Resting Order (CRO) Rule (order vs order) with partial execution 86 Cancel Resting Order (CRO) Rule (order vs order) fully traded 86 Cancel Both Orders (CBO) Rule (order vs order) with no execution (first book level) 87 Cancel Both Orders (CBO) Rule (order vs order) and partial execution 87 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - with no execution (first book level) 88 Reduce and Cancel (RC) Rule (order vs order) when incoming Market Order is at any price and quantity is greater than resting order - with no execution (first book level)88 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - with partial execution 89 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - fully executed 89 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is equal to resting order - with no execution (at first book level) 90 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is equal to resting order – partially executed 90 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order - with no execution (at first book level) 91 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order - partially executed 91 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order - with SEP Criteria for Resting Order different than RC with no execution (first book level) 91 Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order - with SEP Criteria for Resting Order different than RC with partial execution 92 SEP Rules in case of Incoming Quote vs Order92 SEP Rules in case of Incoming Order vs Quote93

8.7 Modification Processing 93

Modification is rejected	93	
Modification is accepted	94	
Modification is Accepted, Order Trades aga	ainst n Counterparts	94
Cancellation is accepted	96	
Participant	96	
Cancel all Quotes of a Group for a Market	Maker (Global Cancellation)	96
8.8 Quote Processing	96	
Entering Bulk Quote Data	96	
Entering or Modifying Quotes	97	
Entering or Modifying Quotes that Trade	98	
Indication of Interest to Trade	98	
8.9 Market Maker Messages	99	
8.9 Market Maker Messages	55	
Market Maker Monitoring - Invalid Bulk Quo	ote Grace Period Elapsed	99
Underlying last traded price raised an MM I	nfraction message	99
Market Maker Protection Subscription Acce	epted 100	
Market Maker Protection Subscription Reje	cted100	
Market Maker Protection Triggered	100	
Underlying Price used to Determine MM ob	ligation Surface 100	
ATM series for MM obligations	101	
_		
8.10 Unsolicited Services	101	
Cancellation of all Quotes and Orders for a	Member for a Particular Gro	oup of Instruments (Initiated by the Exchange or GCM)
101		
Eliminate all Orders for an Instrument (Initia	ated by the Exchange or GC	M) 101
Cancel all Quotes of a Market Maker or a C	, ,	
Cancel Trade on the Last Price (Initiated by		
Create Manual Trade with or without Impac		ed by the Exchange at Client's request) 102
8.11 Strategy Messages	102	
User defined Strategy (FLEXCO) Creation	Request Accented	102
<b>07</b> ( )	•	102
User defined Strategy (FLEXCO) Creation Strategy Order trades partially against cont		
Strategy Order fully trades against contra le		
Survey Order runy trades against contra le	sy order (implied trade)	104

8.12 Pre-Trade Validation Messages 104

13 September 2019

Risk limits configuration or update by Risk Manager 104 Order Triggers a Risk Limit Usage Notification105 Order Triggers Exposure Risk Limit 105 Trade Triggers Traded Risk Limit 105 Market Maker Risk limits configuration or update by Risk Manager 106 Risk Manager sends a Master Switch message to disable a Trader 106

#### 9.0 Appendix B: Negotiated Transaction Message Flow 107

9.1 Cross/Committed functionality 107 Committed orders traded 107 Committed orders: deferred trades 107 Committed orders: trades executed immediately 108 Committed order cancelled by participant before it trades 109 Pending Committed order cancelled during the End Of Day Process 109 Entering an Accepted Cross Order 110 Cross Order Rejected 110 9.1 Flexible Series 110 Standard flow for flexible series creation 110 Message flow in case an instrument with the same characteristics already exists as a Flexible series 111 Message flow in case an instrument with the same characteristics already exists as a Standard series 111 Message flow in case of flexible creation is rejected 111 9.2 Inter Dealer Broker (IDB) Order 111 Single Proposal Request with Flexible series completed successfully 111 Multiple Proposal Request against different Counterparties completed successfully 114 PR Leg Modification by Participants (before Proposal Execution/Refusal) 116 PR Cancellation by Initiator 118 PR Leg Refusal by Participant 119 PR Cancellation by Market Supervision 120 PR Leg Cancellation by Market Supervision 120 Proposal Request automatic cancellation at market closure (expiry) 121 9.3 Bundle Order 121 Single Bundle Order with Flexible series completed successfully 121 Multiple Bundle Order against different Counterparties completed successfully 123 Multiple Bundle Order against same Counterparty completed successfully 126

BO Leg Modification by Participants (before Proposal Execution/Refusal) BO Leg Modification by Initiator (before Proposal Execution/Refusal) 130 BO Cancellation by Initiator 131 BO Leg Refusal by Participant 132 BO Cancellation by Market Supervision 133

BO Leg Cancellation by Market Supervision 134

BO automatic cancellation at market closure (expiry) 134 129

13 September 2019

#### **1.0 Introduction**

This is a technical document that describes LSE's SOLA® Access Information Language (SAIL) Protocol.

#### 1.1 Scope

The scope of this document is to provide a detailed description of the internal SOLA<sup>®</sup> Access Information Language Protocol.

This includes but is not limited to the Message Format and Delivery Session Protocol Application Messages which include:

- Connection Messages
- Reference Data (Configuration Messages)
- Internal Trading Data Messages
- Market Operations Centre (MOC) Messages
- SAIL Technical Messages
- SAIL Business Messages

This document defines a common message format for the Downstream Systems. The contained information does not in any way provide engineering or other professional services.

#### 1.2 Purpose

The purpose of this publication is to provide participants with the knowledge and technical details necessary for accessing and using the LSEG's derivatives trading system.

This SAIL specification provides essential information for participants and independent software vendors in the functional design of their application in order to interface with the Exchange using the native SOLA Access Information Language (SAIL) protocol.

#### 1.3 Readership

The target audience for this publication is the business or Information Technology level of an organisation interested in the functional design of the LSEG's derivatives platform.

#### 1.4 Revision History

Issue	Date	Description
0.1	18 May 2009	First official version. Removed redundant message types. Completed types descriptions. Normalized tables formats.
1.0	21 December 2010	Publication of initial version
2.0	26 July 2012	Message modification and new messages introduced with the updated version for Sola 5

Issue	Date	Description
2.1	16 December 2012	Minor corrections. Added Message Flow section.
2.2	27 August 2013	Corrected definition for: Order Type, Yes/No, Quantity Sign and Order Trading mode in section Field Definitions. Added KE message in Drop Copy section.
2.3	5 December 2013	Corrected missing Filler in MM Monitoring Status message and format changes in section Q <i>: Bulk Quote Message</i>
3.0	21 July 2014	Sola 7: Message Impacts.
3.1	22 September 2014	New document layout. Added in Appendix: Regular Message Flow and Negotiated Transaction Message Flow
3.2	17 December 2014	Reviewed version
3.3	30 January 2015	Added SEP scenarios for incoming orders at Market Price. Added Field Definition "Strike Price". Corrected layout for Proposal Request (PR).
3.4	12 March 2015	Added NP in message flow for Global Cancellation. Enriched flexible series' creation message flow. Details added to the SEP message flow.
4.0	6 July 2015	Support for different Timezones in Time field
		New message BP: Best Price Setter Notice
		New field type Best Price Setter
		New value for Protocol Version field
		Updated message flow section including BP message
4.1	16 September 2015	Added NU message in Drop Copy
		Extended values for Special Trade Indicator
4.2	15 December 2015	
4.3	27 June 2016	Pre-Trade Validation functionalities added
4.4	1 July 2016	Pre-Trade Validation functionalities extended
5.0	3 March 2017	Protocol adaptation to MIFID requirements
5.1	27 March 2017	Reviewed version:
		KE: Order Acknowledgment removed filler (6) before Client Code Qualifier
		NL/NY Time stamp fields review
5.1.1	29 March 2017	Reviewed version:
		Amend Time UTC and microsec in SAIL Message Headers
		KB: Order Proposal Acknowledgment layout reviewed
		Amend description of PU,PN and PR filler fields
5.1.2	30 March 2017	Amend field type description of Time of the Trade field and Timestamp in NT/NL/NY/NX messages
5.2	26 April 2017	New values for MM Alert Level
		Review description/type (R/O/C) of Mifid Codes and Mifid Flags
		Amend MK: SetRiskLimit message and new error code 3203 and 3204 due to new PTV requirements
		Add 6: Matched Principal value to Account Type field
		Rename possible values for MM Monitoring Activity field and Bulletin Type

Issue	Date	Description
5.2.1	2 May 2017	Physical Leg field changed from Optional to Conditional
		Buying Physical Leg and Selling Physical Led amended on OX Cross Order message
5.2.2	9 May 2017	The following error codes have been modified for Pre Trade Validation functionality enhancement:
		3107, 3108, 3127, 3128, 3137 error codes added 3200 and 3203 error code description amended 3204 error code removed
5.2.3	16 May 2017	Physical Leg field eliminated from NU message
5.3	16 May 2017	Owner Data field type modified
		Owner Data field added to XE: Order Cancellation message
		Review layout of drop copy fields of KE, KM, KZ messages
		······································
5.3.1	12 June 2017	2 new values for Type of Cancellation: OrdersOnly and All. Messages impacted: CG: GlobalCancellation, KG: GlobalCancellationAcknoledgment
		Trader of RT: KillSwitch message is changed from Optional to Required
5.3.2	16 June 2017	Filler between Instrument ID and Quantity removed from OX: Cross Order message
5.4	28 June 2017	Rename of:
		<ul> <li>Trade Reporting replaced with Negotiated Transaction</li> <li>Request For Quote with Indication of Interest to Trade</li> <li>Possible values name of Waiver indicator field</li> </ul>
		Amend Drop Copy availability column of NL message
		Entering Bulk Quote Data scenario added to section 8.8 Quote Processing
5.4.1	28 July 2017	Amend description of Client Code ID values.
5.5	21 September 2017	Rename "Exchange For Physical" to "Basis Trade/Exchange for Security/Exchange of Future for Swap"
5.5.1	10 Oct 2017	Amend NL
		Sola 12 Drop 1: messages impacted: Sprint 1 and 2
6.0	20 December 2017	<ul> <li>Trade messages: NT/NL/NX/NY/NZ</li> <li>Order Entry/Acknowledgment messages: OE/KE/KM/KZ</li> <li>BNT messages: BO/OB, OX</li> <li>Error Notice message: ER (new error codes)</li> </ul>
		Sola 12 Drop 1: messages impacted: Sprint 3
6.1	2 January 2018	Error Notice message: ER (new error codes)
		Replace "Deferral Publication" with "Deferred Publication"
6.2	10 February 2018	Examples: Committed orders: deferred trades and Committed order: trades executed immediately added in Appendix B, section 9.1

13 September 2019

Issue	Date	Description
7.0	15 February 2018	<ul> <li>Sola 12 Drop 2:</li> <li>Price Type description of P value changed to Exchange For Physical and B: BasisTrade added. (Field present in OE/KE/BO/KB/OB/OX/PR/PN/PU/NT/NL/NX/NY/NZ messages)</li> <li>SpecialTradeIndicator E value changed to Exchange For Physical and B: BasisTrade added. (Field present in NT/NL/NX/NY/NZ messages)</li> <li>Waiver indicator field: 2 values added 3: Exchange For Physical and 4: Package transaction (Field present in NT/NL/NX/NY/NZ messages)</li> </ul>
7.0.1	15 October 2018	Document date updated Table of content updated Section 2.6: note added – applicable for IDEM only
7.0.2	24 June 2019	LSEDM now known as CurveGlobal Markets
8.0	27 July 2019	<ul> <li>SOLA 14 changes. New Protocol version A7:</li> <li>Execution Source Code on all order/quote and trade management messages</li> <li>Transaction Venue Identification Code (TVTIC) on trade messages</li> <li>Liquidity Indicator on Sail Native messages</li> <li>Bulk Quote Acknowledgement Message containing Clearing Data</li> </ul>
8.0.1	13 Sept 2019	NL message layout amended

#### 2.0 Overview

The SOLA® Access Information Language (SAIL) Protocol is defined at two levels: technical and business. The technical level deals with the delivery of data while the business level defines business-related data content. This document is organized to reflect the distinction.

The following sections summarize general specifications for constructing and transmitting SOLA® Access Information Language Protocol messages.

#### 2.1 Message Format

All technical and business SAIL messages start with 4 bytes of Endian encoded message length. An End of Text (ETX) binary 3 is added after the last character of each business message, and it is padded with spaces of 4 bytes for alignment.

Example:

13 September 2019

Message: <21>xxxxxxxxxxxxxxxx<ETX>< > <0021> (4 bytes) length of business message. Codification Little Endian. <xxxxxxxxxxxxxxxxxx>: (21 bytes) Business Message body <ETX>: (1 byte) End of Text, binary 3 < > 2 spaces for alignment

#### 2.2 Sequencing

Sequence numbers in the SAIL protocol are based on a daily cycle, order and trade sequences are unique for a given instrument and date.

#### 2.3 Terms and Acronyms

The following legend defines some of the terms that are used in this document.

Term	Definition
BST	British Summer Time
BPS	Best Price Setter
СВ	Circuit Breaker
CET	Central European Time
CEST	Central European Summer Time
EDT	Eastern Daylight Time
EDST	Eastern Daylight Savings Time
EOD	End Of Day
GMT	Greenwich Mean Time
Incoming	Message from Participant to Exchange
Msg	Message
Outgoing	Message from Exchange to Participant
Req	Required field
SEP	Self Execution Prevention

#### 2.4 Required Fields

Each message within the protocol is comprised of fields which are either:

- R = Required
- C = Conditional (fields which are required based on the presence, or value of other fields).
- O = Optional

13 September 2019

Systems should be designed to operate only when the required and conditionally required fields are present.

#### 2.5 Drop Copy for SAIL protocol

This feature allows a Drop Copy user to receive a copy of all order acknowledgements and trade notifications that belong to a specific member. All messages are sent using the SAIL protocol. The following messages are included in the Drop Copy connection:

- KE: Order Acknowledgement
- KM: Order Modification Acknowledgment
- KZ: Order Cancellation Acknowledgment
- NG: Group State Change
- NL: Leg Execution Notice
- NT: Execution Notice
- NU: Update Order Notice
- NX: Execution Cancellation Notice
- NY: Leg Execution Cancellation Notice
- NZ: Order Cancellation Notice

These messages have been extended in order to provide complete order information, the added fields are flagged with 'Y' in the "Drop Copy" column on the Message's layout description tables in the following sections. All incoming Business messages sent by Drop Copy user are rejected.

#### 2.6 Message counting for throttling (IDEM only)

Throttling mechanism available in SOLA refers to the total number of messages sent by the Participant. The following Technical Messages (from Participant to the Exchange) are not counted:

- TA: Disconnection Instruction
- TC: User Connection
- TD: User Disconnection
- TI: Heartbeat (Inbound)

13 September 2019

#### 3.0 Message Headers Layout

#### 3.1 SAIL Message Headers

#### **Incoming Message Header**

Total length: 30

This is the header for all incoming participant business messages.

Field Name	Field Type	Size	R/C/O
Message Type	Message Type	2	R
User Time	Time UTC and microsec	12	R
Trader ID (SAIL)	Trader ID (SAIL)	8	R
User Sequence ID	User Sequence ID	8	R

#### **User Sequence ID**

This field contains a unique sequential number that the participant must set in all business messages. The first business message must have this number set to 1, the second set to 2, and so on.

#### **Outgoing Message Header**

Total length: 30

This is the header included on all outgoing business messages from the Exchange.

Field Name	Field Type	Size	R/C/O
Message Type	Message Type	2	R
Message Timestamp	Time UTC and microsec	12	R
User Sequence ID	User Sequence ID	8	С
Exchange Message ID	Exchange Message ID	6	С
Gap Sequence ID	Numeric (2)	2	R

#### **User Sequence ID**

This field contains the identical User Sequence ID number present in the incoming message or it contains zeroes. It is set for acknowledgement only. For unsolicited messages (trade notice, group state change, instrument state change, etc...) it is set to zeroes.

13 September 2019

#### Exchange Message ID

It represents the Exchange's identifier of the message for the current session. It is used in a Connection message as a retransmission starting point. If it contains spaces, it means that this field is not subject to re-transmission.

#### **Gap Sequence ID**

It is a Sequence Numeric (base 10) used to track gaps. It runs from 0 to 99 over and over. If the participant detects a gap, he has to reconnect with a Trader Connection message.

#### 3.2 Data types

#### **Clearing Data**

#### Total length: 20

1

This structure is used in order, bulk quote data and order related messages for clearing purposes.

Field Name	- Field Type	Size	R/C/O
Clearing Instruction	Clearing Instruction	12	R
Account Type	Account Type	1	R
Open/Close	Open/Close	1	R
Hedge/Spec	Hedge/Spec	1	0
Clearing Operation Mode	Clearing Operation Mode	1	С
Clearing Destination	Firm ID	4	С

#### **Owner Data**

Total length: 50

Owner data is an order reference for the participant that may appear within certain messages.

Field Name	Field Type	Size	R/C/O
Client Order ID	Alphanumeric	24	0
Client Reference ID*	Alphanumeric	26	С

\*For CurveGlobal market this field is mandatory for billing purposes. Only the first 16 characters reach the Clearing House

\*For IDEM market this field is optional. Only the first 12 characters reach the Clearing House

13 September 2019

#### 4.0 Technical Messages

#### 4.1 TA: Disconnection Instruction

Incoming: Participant to Exchange

This message is used by a participant to indicate the instruction(s) to execute if the connection ends (terminated by the Exchange or by the Participant).

When a disconnection occurs, all the disconnection instructions sent by the traders are executed. For example, if a Market Maker wants to cancel their quotes upon disconnection, all the existing quotes he has on the Exchange are cancelled.

Disconnection Instructions are managed at trader level. Once a connection is established, one Disconnection Instruction Message may be sent per each trader that will use the connection.

Note: These instructions are valid only for the current session. This message is optional; if it is not sent by a specific trader, the system does not cancel any quote when that trader disconnects, or when the connection is lost.

Field Name	Field Type	Size	R/C/O	_
Message Header (Message Type = TA)	Message Type	2	R	
Number of Instructions present in the message	Numeric (2)	2	R	
Trader ID	Trader ID	8	R	1 to 99 occurrences
Type of Cancellation	Type of Cancellation Q: Quotes	1	R	
Active: Y (ON) N (OFF)	Flag	1	R	

#### 4.2 TC: User Connection

Incoming: Participant to Exchange

User Connection is the first message to be sent by the participant at the beginning of the day\*.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TC)	Message Type	2	R
Protocol Version	SAIL Protocol ID	2	R
User ID	User ID	8	R
Password (MD5 Encryption)	Password	8	R
Session ID	Session ID	4	С
Time	Time	6	R
Exchange Message ID	Exchange Message ID	6	С

13 September 2019

Field Name	Field Type	Size	R/C/O	
Inactivity Interval	Numeric (2)	2	R	
Number of Message types to be received	Numeric (2)	2	R	
Message types to be received	Message Type	2	R	1 to 99 occurrences

\*In case the same Participant connects more than one time when it's already connected, the system keeps open only the latest connection.

The key fields for this message are described below.

#### Session ID

If set to blank spaces, means that the participant wants to connect to the current Session ID. The acknowledgment contains the current Session ID. When the Client connects for the <u>first time</u> each day, he must set the Session ID to blank spaces.

#### Exchange Message ID (Participant inbound)

If equal to zeroes: start from 1<sup>st</sup> message of the session. For the <u>first connection</u>, the only valid value for the User's Exchange Message ID is zeroes.

If equal to blanks: start from next message for Participant.

If valid Exchange Message ID: start at this message ID or the next message for the Participant.

#### **Inactivity Interval**

Number of missed heartbeats before considering the user disconnected. If set to 0, the user is never considered as disconnected by the system.

#### Number of Message Types to be Received

Indicates the number of message types (specified further in the message) the Participant wants to receive.

#### Message Types to be Received

A list (max 99 occurrences) of message types requested by the participant. The following messages are sent to the Participant even if they are not part of the list: ER, TE, TO, TH, and TT.

#### SAIL Protocol ID

In the User Connection Message, the user specifies the protocol ID for the connection. When the SAIL protocol version changes, the Client could be able to communicate using the previous protocol version for a period. The expiration of the

13 September 2019

previous protocol time period will be communicated by the Exchange. If the specified Protocol ID is not supported, an error message (TE) is sent.

#### 4.3 TD: User Disconnection

Incoming: Participant to Exchange

The Trader Disconnection message is sent by the participant to the Exchange when it wants to disconnect from the system. The User is disconnected and their Disconnection Instructions, if any, are processed.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TD)	Message Type	2	R
User ID	User ID	8	R
Session ID	Session ID	4	С

#### 4.4 TE: Technical Error Notice

Outgoing: Exchange to Participant

This message is sent by the Exchange when a technical error is encountered in the message sent by the participant. Refer to Error Codes section for a detailed list of error codes.

If the client has sent an erroneous message, the Technical Error message (TE) sent back to the client will explain the error. The client will remain connected.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TE)	Message Type	2	R
Received Message Type	Message Type	2	R
Preceding User Sequence ID received (zeroes if none)	User Sequence ID	8	R
Error Code	Error Code	4	R
Error Position	Numeric (4)	4	R
Error Message	String (100)	100	R
Start of message in error	String (100)	100	R

#### **Received Message Type**

Refers to the message which contained the error.

#### **Error Position**

Determines the bytes at which an error has been detected.

13 September 2019

#### Start of Message in Error

The first 100 characters of an erroneous message.

#### 4.5 TH: Heartbeat (Outbound)

Outgoing: Exchange to Participant

This message is sent by the Exchange to the participant at the beginning of every Heartbeat period. For each connection, participants are allowed to send a configured number of messages per second.

This message indicates the first message to be processed in the Heartbeat period. If there is no pending message from the participant, the field User Sequence ID represents the next expected User Sequence ID.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TH)	Message Type	2	R
User Sequence ID (first User Sequence ID for next/current Heartbeat period)	User Sequence ID	8	R
Last Exchange Message ID (sent to participant)	Exchange Message ID	6	R
Time	Time	6	R

#### 4.6 TI: Heartbeat (Inbound)

#### Incoming: Participant to Exchange

A Heartbeat message sent from the Exchange to the participant at the beginning of every Heartbeat period, must receive a response from the participant application within 'n' units specified in the Connection message. The response can be any message. If a Heartbeat is not responded to, the participant is considered as not connected and the disconnection instructions specified in the Disconnection Instructions message (TA: Disconnection Instruction) are executed.

Message TI is used to respond to a Heartbeat (TH) if no other message needs to be sent.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TI)	Message Type	2	R
User Sequence ID (first User Sequence ID for next/current Heartbeat period)	User Sequence ID	8	R
Last Exchange Message ID (sent to participant)	Exchange Message ID	6	R
Time	Time	6	R

#### 4.7 TK: Connection Acknowledgement

Outgoing: Exchange to Participant

13 September 2019

This message is sent to acknowledge receipt of TC: User Connection message.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TK)	Message Type	2	R
Current Session ID	Session ID	4	R
Last User Sequence ID received	User Sequence ID	8	С

#### 4.8 TL: Disconnection Acknowledgement

Outgoing: Exchange to Participant

This message is sent to acknowledge receipt of TD: User Disconnection message.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TL)	Message Type	2	R
Current Session ID	Session ID	4	R
Last User Sequence ID received	User Sequence ID	8	С

#### 4.9 TM: Disconnection Instruction Acknowledgement

Outgoing: Exchange to Participant

This message is sent to acknowledge receipt of TA: Disconnection Instruction message.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TM)	Message Type	2	R
Current Session ID	Session ID	4	R
Last User Sequence ID received	User Sequence ID	8	С

#### 4.10TO: Out of Sequence

Outgoing: Exchange to Participant

This message is sent by the Exchange when the User Sequence ID in the message is out of sequence. Participant must reconnect.

For example, if the client sends an incorrect User Message ID, the Exchange then responds with an Out of Sequence message (TO). The incoming message is not processed and the user is disconnected. The 'Out of Sequence' message indicates the expected User Sequence Number.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TO)	Message Type	2	R
Received User Sequence ID	User Sequence ID	8	R
Expected Last User Sequence ID	User Sequence ID	8	R
Message Time	Time	6	R

#### 4.11TT: End of Transmission

Outgoing: Exchange to Participant

This message is sent to indicate that the session's transmission is completed. Participant is disconnected.

SOLA sends an 'End of Transmission' message (TT), indicating the end of the session. The next trading day, clients must start the connection cycle and reset their User Sequence ID counter.

Field Name	Field Type	Size	R/C/O
Message Header (Message Type = TT)	Message Type	2	R
Ended Session ID	Session ID	4	R
Last User Sequence ID received	User Sequence ID	8	0
Time	Time	6	R

13 September 2019

#### 5.0 Business Messages

#### 5.1 BD: Bulk Quote Data

Incoming: Participant to Exchange

This message contains clearing and protection data that will be used for further Bulk Quotes by the same Market Maker on the same group. A new BD message replaces a previous one entered for the same group by the same Market Maker.

Field Name	Field Type	Size	R/C/O	
Message Header (Message type = BD)	Incoming Message Header	30	R	
Group	Group ID	2	R	
Clearing Data	Clearing Data	20	С	
Owner Data	Owner Data	50	0	
Protection Number of Trades	Numeric (2)	2	С	
Protection Trade Quantity	Quantity	8	С	
Calculation Time Interval (number of seconds)	Numeric (8)	8	С	
Maximum Volume	Quantity	8	С	
Maximum Value	Numeric (8)	8	С	
Maximum Delta Volume	Quantity	8	С	
Maximum Delta Value	Numeric (8)	8	С	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Execution Source Code	Execution Source Code	1	0	

#### 5.2 BO: Bundle Order

Incoming: Participant to Exchange

This message is used for inserting pre-arranged trade(s) with multiple counterparties.

Field Name	Field type	Size	R/C/O	
Message Header (Message type = BO)	Incoming Message Header	30	R	
Filler	String (21)	21	С	
Proposal Type (must be B: Bundle Order)	Proposal Type	1	R	
Number of Legs	Numeric (2)	2	R	
Group	Group ID	2	R	1 up to 4 times
Instrument	Instrument ID	4	R	_
Price Type	Price Type (C: Committed or P:Exchange for Physical or B: Basis Trade/Exchange for Security/Exchange of Future for Swap)	1	R	_
Verb	Verb	1	R	
Quantity	Quantity	8	R	
Price	Price	10	R	
Duration Type (J: Day)	Duration Type	1	R	
Filler	String (4)	4	С	
Opposite Firm	Firm ID	4	R	_
Flex Trade Transparency	Transparency	1	0	_
Filler	String (8)	8	R	_
Clearing Data	Clearing Data	20	R	_
Owner Data	Owner Data	50	0	_
Filler	String (1)	1	С	_
Client ID Code Qualifier	Client ID Code Qualifier	1	0	_
Client ID Code	Client ID Code	10	С	_
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	_
Investment Decision ID	Investment Decision ID	10	С	_
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	_
Execution Decision ID	Execution Decision ID	10	R	_
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
Physical Leg	Physical Leg	20	С	
Execution Source Code	Execution Source Code	1	0	

13 September 2019

#### 5.3 BP: Best Price Setter Notice

Outgoing: Exchange to Participant

This message reports unsolicited updates of the Best Price Setter status.

Field Name	Field type	Length	R/C/O
Message Header (Message type = BP)	Outgoing Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Trader ID	Trader ID	8	R
Reference ID	Reference ID	8	R
Verb	Verb	1	R
Order Type	Order Type	1	R
New Quantity	Quantity	8	R
New Price	Price	10	R
Best Price Setter	Best Price Setter	1	R
Original Reference ID	Original Reference ID	8	R

#### 5.4 ER: Error Notice

Outgoing: Exchange to Participant

This message is an error notification. It is sent in response to a message from the participant that the system cannot process.

Field Name	Field Type	Size	R/C/O	Extended
Message Header (Message type = ER)	Outgoing Message Header	30	R	
Error Code	Error Code	4	R	
Error Description	String (100)	100	R	

#### 5.5 FS: Flexible Series Creation

Incoming: Participant to Exchange

This message is used for the creation of intraday Flexible Series.

Field Name	Field type	Size	R/C/O
Message Header (Message type = FS)	Incoming Message Header	30	R

13 September 2019

Field Name	Field type	Size	R/C/O
Group	Group ID	2	R
Maturity Date (Symbol Date)	Date	8	R
Call/Put	Call Put Code	1	C (for options only)
Strike Price	Strike Price	11	C (for options only)
Filler (must be zeroes)	String (2)	2	R
Option Style	Option Style	1	C (for options only)
Filler	String	32	R

#### 5.6 GC: Global Cancellation

Incoming: Participant to Exchange

This message is sent by the participant when he wants to cancel his quotes.

Field Name	Field Type		R/C/O
Message Header (Message type = GC)	Incoming Message Header	30	R
Group	Group ID	2	R
Type of Cancellation	Type of Cancellation	1	R

#### 5.7 IX: Underlying Price

Outgoing: Exchange to Participant

This message is used to send customer the updates on Underlying Price used to calculate the ATM series.

<b>_</b>			
Field Name	Field Type	Size	R/C/O
Messages Header (Message Type = IX)	Outgoing Message Header	30	R
Group	Group ID	2	R
Underlying Price Type	Underlying Price Type	1	R
Filler	String (1)	1	R
Underlying Price	Price	10	R

#### 5.8 KB: Proposal Acknowledgment

Outgoing: Exchange to Participant

This message acknowledges the messages PR: Proposal Request, BO: Bundle Order, OB: Order Proposal.

Field Name	Field type	Size	R/C/O	
Message Header (Message type = KB)	Outgoing Message Header	30	R	
Trader ID	Trader ID	8	R	
Filler	String (4)	4	С	
Proposal ID	Proposal ID	8	R	
Proposal Status	Proposal Status	1	R	
Proposal Type	Proposal Type	1	R	
Number of Legs	Numeric	2	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	1 to 8 times
Price Type	Price Type	1	R	
Verb	Verb	1	R	
Quantity	Quantity	8	R	
Price	Price	10	R	
Duration Type	Duration Type (J: Day)	1	R	
Entering Firm ID (same for all legs)	Firm ID	4	R	
Opposite Firm	Firm ID	4	R	
Flex Trade Transparency	Transparency	1	0	
Original Order ID	Original Order ID	8	R	
Clearing Data	Clearing Data	20	С	
Owner Data	Owner Data	50	0	
Order Status	Status	1	R	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
Physical Leg	Physical Leg	20	С	
Execution Source Code	Execution Source Code	1	R	

13 September 2019

#### 5.9 KD: Bulk Quote Data Acknowledgment

Outgoing: Exchange to Participant

This message is used to acknowledge a Bulk Quote Data (BD) message.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = KD)	Outgoing Message Header	30	R
Group	Group ID	2	R
Trader ID	Trader ID	8	R
Quote ID (identifies trader's quote on this group)	Order ID	8	R
Client ID Code Qualifier	Client ID Code Qualifier	1	0
Client ID Code	Client ID Code	10	С
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0
Investment Decision ID	Investment Decision ID	10	С
Execution Decision ID Qualifier Execution Decision ID Qualifier		1	0
Execution Decision ID	Execution Decision ID	10	R
DEA Flag	Yes/No (1)	1	0
Algo Flag	Yes/No (1)	1	0
Liquidity Provision Flag	Yes/No (1)	1	0
Text	Filler (1)	1	0
Clearing Data	Clearing Data	20	R
Execution Source Code	Execution Source Code	1	R

#### 5.10KE: Order Acknowledgment

Outgoing: Participant to Exchange

This message is used to acknowledge an OE: Order Entry message.

Field Name	Field Type	Size	R/C/O	Drop Copy
Message Header (Message type = KE)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	
Trader ID	Trader ID	8	R	
Order ID	Order ID	8	R	
Status	Status	1	R	

Field Name	Field Type	Size	R/C/O	Drop Copy
Verb	Verb	1	R	
Quantity	Quantity	8	R	
Assigned Price	Assigned Price	10	R	
Clearing Data	Clearing Data	20	R	
Owner Data	Owner Data	50	0	
Original Order ID	Original Order ID	8	R	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
Physical Leg	Physical Leg	20	С	
Execution Source Code	Execution Source Code	1	R	
Price Type	Price Type	1	С	Y
Previous Displayed Quantity	Quantity	8	С	Y
Previous Booked Price	Price	10	С	Y
Displayed Quantity	Quantity	8	С	Y
Filler	String (1)	1	С	Y
System Best Bid after immediate trades if any	Price	10	С	Y
System Best Offer after immediate trades if any	Price	10	С	Y
Proposal Type	Proposal Type	1	0	Y
Proposal ID	Proposal ID	8	0	Y
Filler	String (4)	4	0	Y
Operation Firm ID (for NZ only)	Firm ID	4	0	Y
Filler	String (3)	3	0	Y
End of Message Block	Yes/No	1	С	Y
Special Price Term	Special Price Term	1	С	Y
Additional Price	Additional Price	10	С	Y

Field Name	Field Type	Size	R/C/O	Drop Copy
Quantity Term	Quantity Term	1	С	Y
Additional Quantity	Additional Quantity	8	С	Y
Guaranteed Quantity	Quantity	8	С	Y
Duration Type	Duration Type	1	С	Y
GTD Date	GTD Date	8	С	Y
Opposite Firm	Firm ID	4	С	Y
Order Type	Order Type	1	С	Y
Previous Order ID	Order ID	8	С	Y
Remaining Quantity	Quantity	8	С	Y
Filler	String (1)	1	С	Y
Filler	Quantity	8	С	Y
Filler	Filler (20)	20	R	Y

#### 5.11KF: Flexible Series Creation Acknowledgment

Outgoing: Participant to Exchange

This message is sent out to acknowledge the FS: Flexible Series Creation

Field Name	Field type	Size	R/C/O
Message Header (Message type = KF)	Outgoing Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Maturity Date (Symbol Date)	Date	8	R
Call/Put	Call Put Code	1	C (for options only)
Strike Price	Strike Price	11	C (for options only)
Filler (must be zeroes)	String (2)	2	R
Option Style	Option Style	1	C (for options only)
Filler (must be spaces)	String (1)	1	C (Marker for the CA, if any)
Root symbol	String (6)	6	R
Product Type	Product Type	1	R
Contract Size	Quantity	8	R
External Symbol	External Symbol	30	R

13 September 2019

Field Name	Field type	Size	R/C/O
External ISIN	ISIN	12	R
Currency	Currency	1	R
Creation Status	Creation Status	1	R
Filler	String (2)	2	С

#### 5.12KG: Global Cancellation Confirmation

Outgoing: Exchange to Participant

This message is used to acknowledge a GC: Global Cancellation message and it is sent to a participant when his quotes have been cancelled.

Field Name	Field Type	Size	R/C/O
Outgoing Messages Header (Message type = KG)	Outgoing Message Header	30	R
Group	Group ID	2	R
Trader ID	Trader ID	8	R
Type of Cancellation	Type of Cancellation	1	R

#### 5.13KM: Order Modification Acknowledgment

Outgoing: Exchange to Participant

This message is used to acknowledge an OM: Order Modification message.

Field Name	Field Type	Size	R/C/O
KE Message Order Acknowledgment layout (Message type = KM)			

#### 5.14KN: New Strategy Instrument Acknowledgement

Outgoing: Exchange to Participant

This message is used to acknowledge the creation of a strategy instrument and is sent from the Exchange to the Participant who submitted the ON message.

Field Name	Field Type	Size	R/C/0	
Message Header (Message Type = KN)	Outgoing Message Header	30	R	
Strategy Group	Group ID	2	R	

Field Name	Field Type	Size	R/C/O	
Strategy Instrument ID	Instrument ID	4	R	
Creation Status	Creation Status	1	R	
Number of Legs	Numeric (2)	2	R	
Leg Group	Group ID	2	R	
Leg Instrument	Instrument ID	4	R	
Verb	Verb	1	R	2 to 4 times
Filler	String (1)	1	R	
Ratio	Quantity	8	R	

#### 5.15KO: Standard Acknowledgment

Outgoing: Exchange to Participant

This message is sent as an acknowledgment for the following messages: RQ: Indication of Interest to Trade, RP: Market Maker Protection Subscription, OX: Cross Entry.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = KO)	Outgoing Message Header	30	R
Trader ID	Trader ID	8	R
Original Message Type (RQ, RP, OX)	Message Type	2	R

#### 5.16KX: Proposal Cancellation Acknowledgment

Outgoing: Exchange to Participant

This message is used to acknowledge an XP: Proposal Cancellation message.

Field Name	Field type	Size	R/C/O
Message Header (Message type = KX)	Outgoing Message Header	30	R
Trader ID	Trader ID	8	R
Cancelled Proposal ID	Proposal ID	8	R
Proposal Type	Proposal Type	1	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Original Order ID	Original Order ID	8	R
Refusal reason	String (50)	50	С

13 September 2019

#### 5.17KZ: Order Cancellation Acknowledgment

Outgoing: Exchange to Participant

This message is used to acknowledge an XE: Order Cancellation message.

Field Name	Field Type	Size	R/C/O
KE Message Order Acknowledgment layout (Message type = KZ)			

#### 5.18LA: Bulk Quote Acknowledgment

Outgoing: Exchange to Participant

This message acknowledges the receipt of a Q<i>: Bulk Quotes message.

Field Name	Field Type	Size	R/C/O	
Message Header (Message type = LA)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Quote ID (identifies trader's quote on this group)	Order ID	8	R	
Number of Quotes in Error	Numeric (3)	3	R	
Quote number	Numeric (3)	3	R	0 to 280 occurrences
Error Code	Error Code	4	R	

#### 5.19LB: Bulk Command Message Acknowledge

Outgoing: Exchange to Participant

This message acknowledges the receipt of *MK: Risk Limits Configuration* and *MQ: MMP Limits Configuration* messages.

Field Name	Field Type	Size	R/C/O	_
Message Header (Message type = LB)	Outgoing Message Header	30	R	
Number of Commands in Error	Numeric (3)	3	R	
Command Number	Numeric (3)	3	С	0 to 100 occurrences
Error Code	Error Code	4	С	

13 September 2019

#### 5.20MK: Risk Limits Configuration

Incoming: Participant to Exchange

This message is used by Risk Managers to set risk limits for their managed entities.

Field Name	Field Type	Size	R/C/O	-
Message Header (Message type = MK)	Incoming Message Header	30	R	
Firm	Firm ID	4	R	
Trader	Short Trader ID	4	0	
Reset	Yes/No	1	R	
Number of Risk Limit Blocks	Numeric (3)	3	R	
Group	Group ID	2	R	1 to 100 occurrences
Instrument	Instrument ID	4	0	-
Max Order Quantity	Quantity*	8	R	-
Max Traded Long	Quantity*	8	R	-
Max Traded Short	Quantity*	8	R	-
Max Exposed Long	Quantity*	8	R	-
Max Exposed Short	Quantity *	8	R	-
Max Traded Spreads	Quantity*	8	С	-
Max Exposed Spreads	Quantity*	8	С	-
Max Committed Quantity	Quantity*	8	R	-
Max Order Value	Notional Value	16	0	_
Max Committed Value	Notional Value	16	0	_
High Limit Price	Price	10	0	
Low Limit Price	Price	10	0	

\* Empty or reset value for these fields is 99999999

#### 5.21 MM: Monitoring MM Status

Outgoing: Exchange to Participant

This message is used to notify a Market Maker that he has either, not achieved or has achieved his obligation of attaining a successful quote. It lists all the series on which an alert is triggered.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = MM)	Incoming Message Header	30	R
Group	Group ID	2	R
MM Obligation Type	MM Monitoring Activity	1	R

Field Name	Field Type	Size	R/C/O	
Filler	String (1)	1	R	
Number of Instrument Updates	Numeric (4)	4	R	
Instrument	Instrument ID	4	R	
Previous MM Alert level	MM Alert Level	1	R	
Previous MM Alert Type	MM Alert Type	1	R	
MM Alert Level	MM Alert Level	1	R	
MM Alert Type	MM Alert Type	1	R	
Previous State Duration	Numeric (6)	6	R	
Alert Start Time	Time UTC	6	R	1 to 200 occurrences
Infraction Start Time	Time UTC	6	R	
Daily Warning Count	Numeric (4)	4	R	
Daily Infraction Count	Numeric (4)	4	R	
Daily Warning Duration	Numeric (6)	6	R	
Daily Infraction Duration	Numeric (6)	6	R	
Filler	String (2)	2	R	

#### 5.22MN: Risk Limits Usage Notice

Outgoing: Exchange to Participant

This message is sent by the Exchange to notify of current Risk Limits usage status.

Field Name	Field Type	Size	R/C/O	
Message Header (Message type = MN)	Outgoing Message Header	30	R	
Firm	Firm ID	4	R	
Number of Usage Notifications	Numeric (3)	3	R	
Trader	Short Trader ID	4	0	1 to 100 occurrences
Group	Group ID	2	R	
Instrument	Instrument ID	4	0	
Risk Limit Type	Risk Limit Type	1	R	
Current Usage	Quantity	8	R	
Limit	Quantity	8	R	

13 September 2019

#### 5.23MQ: MMP Parameters Configuration

Incoming: Participant to Exchange

This message is used by Risk Managers to set Market Maker Protection parameters for their managed entities.

Field Name	 Field Type	Size	R/C/O	_
Message Header (Message type = MQ)	Incoming Message Header	30	R	
Trader	Trader ID	8	R	
Reset	Yes/No	1	R	
Number of MMP Parameter Blocks	Numeric (3)	3	R	
Group	Group ID	2	R	1 to 100 occurrences
Protection Number of Trades	Numeric (2)	2	R	
Protection Trade Quantity	Quantity	8	R	
Calculation Time Interval (number of seconds)	Numeric (8)	8	R	
Maximum Volume	Quantity	8	R	
Maximum Value	Numeric (8)	8	R	
Maximum Delta Volume	Quantity	8	R	
Maximum Delta Value	Numeric (8)	8	R	

#### 5.24MU: Monitoring ATM Series

Outgoing: Exchange to Participant

This message provides details on all At The Money series, for a group (an underlying), from the market maker obligation surface.

Field Name	Field Type	Size	R/C/O	_
Message Header (Message type = MU)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Filler	String (2)	2	R	
Number of Instrument updates	Numeric (4)	4	R	
Instrument	Instrument ID	4	R	1 to 200 occurrences

#### 5.25NG: Group State Change

Outgoing: Exchange to Participant

This message indicates a group state change.

13 September 2019

Field Name	Field Type	Size	R/C/O	Drop Copy
Message Header (Message type = NG)	Outgoing Message Header	30	R	
Group	Group ID	2	R	Y
Group State	Group State	1	R	Y

Message flow:

This message is sent to advise of a group status change through SAIL and HSVF as per below.

SAIL Client	_	- Exchange	-	Hsvf Client	Notes
	÷	Group Status Change (NG)			For all Instrument Types
		Group Status Message (GR)	<i>&gt;</i>		For Options and Futures
		Strategy Group Status (GS)	<i>&gt;</i>		For Strategies only

#### 5.26NI: Instrument State Change

Outgoing: Exchange to Participant

This message indicates an instrument status change.

Field Names	Field Type	Size	R/C/O
Message Header (Message type = NI)	Outgoing Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Instrument Status	Instrument Status	1	R

#### 5.27NL: Leg Execution Notice

Outgoing: Exchange to Participant

This message reports the execution notice for a leg of a strategy trade.

Field Name	Field Type	Size	R/C/O	Drop Copy
Message Header (Message type = NL)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	
Trader ID	Trader ID	8	R	

Field Name	Field Type	Size	R/C/O	Drop Copy
Reference ID	Reference ID	8	R	
Verb	Verb	1	R	
Quantity Traded	Quantity	8	R	
Trade Price	Price	10	R	
Time of the Trade	Date Time microsec	20	R	
Clearing Data	Clearing Data	20	С	
Owner Data	Owner Data	50	0	
Special Trade Indicator	Special Trade Indicator	1	R	
Price Type	Price Type	1	R	
Trade Type	Trade Type	1	R	
Additional Trade Reason	Reason	2	С	
Filler	Filler (4)	4	R	
Trade Number	Trade Number	8	R	
Trade Memo	Trade Memo	50	R	
Original Reference ID	Original Reference ID	8	R	
ID Code for the Counterpart Participant	Firm ID	4	R	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
PTT trade types Flag	PTT Trade Type	1	0	
PTT Cancellations and Amendments Flag	PTT Cancellations and Amendments	1	0	
Waiver indicator Flag	Waiver indicator	1	0	
Deferral Flag	Deferral flag	1	0	
Trade Status	Trade Status	1	R	
Physical Leg	Physical Leg	20	С	
Liquidity Status	Liquidity Status	1	С	

Field Name	Field Type	Size	R/C/O	Drop Copy
Trading Venue Transaction Identification Code	TVTIC	16	R	
Execution Source Code	Execution Source Code	1	R	
Previous Booked Quantity	Quantity	8	0	Y
Previous Booked Price	Price	10	0	Y
Displayed Quantity	Quantity	8	0	Y
Order Type	Order Type	1	0	Y
End of Message Block	Yes/No	1	0	Y
Remaining Quantity	Quantity	8	0	Y
Filler	String (4)	4	0	Y
Price Variation (vs. Last)	Price	10	0	Y
Net Change (vs. reference day)	Price	10	0	Y
Open Price	Price	10	0	Y
High Price	Price	10	0	Y
Low Price	Price	10	0	Y
Last Price	Price	10	0	Y
Opening trade	Yes/No	1	0	Y
CrossLegTrade (always "N" in NT and NX)	Yes/No	1	0	Y
Proposal Type	Proposal Type	1	0	Y
Proposal ID	Proposal ID	8	0	Y
Initiator Firm ID	Firm ID	4	0	Y
Internal Market Bid before this trade	Price	10	0	Y
Internal Market Ask before this trade	Price	10	0	Y
OppositeMsgType	Message Type	2	0	Y
Original Price	Price	10	0	Y
Special Price Term	Special Price Term	1	0	Y
Additional Price	Additional Price	10	0	Y
Additional Quantity Type	Quantity Term	1	0	Y
Additional Quantity	Additional Quantity	8	0	Y
Duration Type	Duration Type	1	0	Y
GTD Date	GTD Date	8	0	Y
Clearing Firm	String (8)	8	0	Y
Connection ID	String (11)	11	0	Y
Exchange ID	Exchange ID	1	0	Y

13 September 2019

Field Name	Field Type	Size	R/C/O	Drop Copy
Order Trading Mode	Order Trading Mode	1	0	Y
Order Time Stamp	Date Time microsec	20	0	Y
Strategy Group	Group ID	2	С	
Strategy Instrument	Instrument ID	4	С	
Strategy Verb	Verb	1	С	
Strategy Trade Number	Trade Number	8	С	
Leg Number	Leg Number	2	С	
Match Number	Match Number	8	0	Y
Number In Match	Number In Match	4	0	Y
Filler	Filler (8)	8	R	Y
Filler	Filler (20)	20	R	Y
Is Amended	Yes/No Flag	1	С	Y
Notional Amount	Notional Value	16	R	Y

#### 5.28NP: Cancellation of All Quotes Notices

Outgoing: Exchange to Participant

This message is an advise sent to a participant when his quotes have been cancelled.

Field Name	- Field Type	Size	R/C/O
Message Header (Message type = NP)	Outgoing Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Trader ID	Trader ID	8	R
Cancel Reason	Quote Cancel Reason	1	R

#### 5.29NQ: MMP Parameters Update Notice

Outgoing: Exchange to Participant

This message is sent unsolicited by the Exchange to notify of effective Market Maker Protection parameters.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = NQ)	Outgoing Message Header	30	R
Trader	Trader ID	8	0
Group	Group ID	2	R
Number of Trades	Numeric (2)	2	R
Trade Quantity	Quantity	8	R
Calculation Time Interval (number of seconds)	Numeric (8)	8	R
Maximum Volume	Quantity	8	R
Maximum Value	Numeric (8)	8	R
Maximum Delta Volume	Quantity	8	R
Maximum Delta Value	Numeric (8)	8	R

#### **5.30NT: Execution Notice**

Outgoing: Exchange to Participant

This message is an execution notice for a trade.

Field Name	Field Type	Size	R/C/O	Drop Copy
Message Header (Message type = NT)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	
Trader ID	Trader ID	8	R	
Reference ID	Reference ID	8	R	
Verb	Verb	1	R	
Quantity Traded	Quantity	8	R	
Trade Price	Price	10	R	
Time of the Trade	Date Time microsec	20	R	
Clearing Data	Clearing Data	20	С	
Owner Data	Owner Data	50	0	
Special Trade Indicator	Special Trade Indicator	1	R	
Price Type	Price Type	1	R	
Trade Type	Trade Type	1	R	
Additional Trade Reason	Reason	2	С	
Filler	Filler (4)	4	R	
Trade Number	Trade Number	8	R	

Field Name	Field Type	Size	R/C/O	Drop Copy
Trade Memo	Trade Memo	50	R	_
Original Reference ID	Original Reference ID	8	R	
ID Code for the Counterpart Participant	Firm ID	4	R	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
PTT trade types Flag	PTT Trade Type	1	0	
PTT Cancellations and Amendments Flag	PTT Cancellations and Amendments	1	0	
Waiver indicator Flag	Waiver indicator	1	0	
Deferral Flag	Deferral flag	1	0	
Trade Status	Trade Status	1	R	
Physical Leg	Physical Leg	20	С	
Liquidity Status	Liquidity Status	1	С	
Trading Venue Transaction Identification Code	TVTIC	16	R	
Execution Source Code	Execution Source Code	1	R	
Previous Booked Quantity	Quantity	8	0	Y
Previous Booked Price	Price	10	0	Y
Displayed Quantity	Quantity	8	0	Y
Order Type	Order Type	1	0	Y
End of Message Block	Yes/No	1	0	Y
Remaining Quantity	Quantity	8	0	Y
Filler	String (4)	4	0	Y
Price Variation (vs. Last)	Price	10	0	Y
Net Change (vs. reference day)	Price	10	0	Y
Open Price	Price	10	0	Y
High Price	Price	10	0	Y

Field Name	Field Type	Size	R/C/O	Drop Copy
Low Price	Price	10	0	Y
Last Price	Price	10	0	Y
Opening trade	Yes/No	1	0	Y
CrossLegTrade (always "N" in NT and NX)	Yes/No	1	0	Y
Proposal Type	Proposal Type	1	0	Y
Proposal ID	Proposal ID	8	0	Y
Initiator Firm ID	Firm ID	4	0	Y
Internal Market Bid before this trade	Price	10	0	Y
Internal Market Ask before this trade	Price	10	0	Y
OppositeMsgType	Message Type	2	0	Y
Original Price	Price	10	0	Y
Special Price Term	Special Price Term	1	0	Y
Additional Price	Additional Price	10	0	Y
Additional Quantity Type	Quantity Term	1	0	Y
Additional Quantity	Additional Quantity	8	0	Y
Duration Type	Duration Type	1	0	Y
GTD Date	GTD Date	8	0	Y
Clearing Firm	String (8)	8	0	Y
Connection ID	String (11)	11	0	Y
Exchange ID	Exchange ID	1	0	Y
Order Trading Mode	Order Trading Mode	1	0	Y
Order Time Stamp	Date Time microsec	20	0	Y
Strategy Group	Group ID	2	С	Y
Strategy Instrument	Instrument ID	4	С	Y
Strategy Verb	Verb	1	С	Y
Strategy Trade Number	Trade Number	8	С	Y
Leg Number	Leg Number	2	С	Y
Match Number	Match Number	8	0	Y
Number In Match	Number In Match	4	0	Y
Filler	Filler (8)	8	R	Y
Filler	Filler (20)	20	R	Y
Is Amended	Yes/No Flag	1	С	Y
Notional Amount	Notional Value	16	R	Y

Field Name	Field Type	Size	R/C/O	Drop Copy

#### 5.31NU: Update Order Notice

Outgoing: Exchange to Participant

This message reports unsolicited modifications of the order in case of Self Execution Prevention (SEP).

Field Name	Field type	Size	R/C/O	Drop Copy
Message Header (Message type = NU)	Outgoing Message Header	30	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	
Trader ID	Trader ID	8	R	
Order ID	Order ID	8	R	
Verb	Verb	1	R	
Order Type	Order Type	1	R	
Action ("Q" whenever the quantity is updated)	String	1	R	
New Quantity	Quantity	8	R	
New Price	Price	10	R	
Previous Quantity	Quantity	8	R	
Previous Price	Price	10	R	
Filler	String	6	R	
Original Order ID	Original Order ID	8	R	
Internal Market Bid	Price	10	С	
Internal Market Ask	Price	10	С	
External market Bid	Price	10	С	
External market Ask	Price	10	С	
Related Order ID	Order ID	8	С	
Displayed Quantity	Quantity	8	С	
Removed By SEP Quantity	Quantity	8	C (used in case of Reduce and Cancel)	
Filler	Filler (8)	8	0	

13 September 2019

#### 5.32NX: Execution Cancellation Notice

Outgoing: Exchange to Participant

This message is an execution cancellation notice.

Field Name	Field Type	Size	R/C/O
NT Execution Notice Message layout (Message type = NX)			

#### 5.33NY: Leg Execution Cancellation Notice

Outgoing: Exchange to Participant

This message reports the execution cancellation notice for a leg of the strategy trade.

Field Name	Field Type	Size	R/C/O
NL Execution Notice Message layout (Message type = NY)			

#### 5.34NZ: Order Cancellation Notice (by system)

Outgoing: Exchange to Participant

This message is used when an order is cancelled by the Exchange (Market Operations) or by the system (expiration).

Field Name	Field Type	Size	R/C/O
KE Message Order Acknowledgment layout (Message type = NZ)			

#### 5.35OB: Order Proposal

Incoming: Participant to Exchange

This message is used to accept the PN: Proposal Notice.

Field Name	Field type	Size	R/C/O
Message Header (Message type = OB)	Incoming Message Header	30	R
Filler	String (12)	12	С
Proposal ID	Proposal ID	8	R
Filler	String (1)	1	С
Proposal Type	Proposal Type	1	R
Number of Legs	Numeric	2	R

Field Name	Field type	Size	R/C/O	
Group	Group ID	2	R	1 up to 4 times
Instrument	Instrument ID	4	R	
Price Type	Price Type (C: Committed or P:Exchange for Physical or B: Basis Trade/Exchange for Security/Exchange of Future for Swap)	1	R	_
Verb	Verb	1	R	
Quantity	Quantity	8	R	
Price	Price	10	R	
Duration Type (J: Day)	Duration Type	1	R	
Filler	Filler	4	R	
Opposite Firm	Firm ID	4	R	
Flex Trade Transparency	Transparency	1	R	
Original Order ID	Original Order ID	8	R	
Clearing Data	Clearing Data	20	R	
Owner Data	Owner Data	50	0	
Filler	String (1)	1	С	
Client ID Code Qualifier	Client ID Code Qualifier	1	0	
Client ID Code	Client ID Code	10	С	
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0	
Investment Decision ID	Investment Decision ID	10	С	
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0	
Execution Decision ID	Execution Decision ID	10	R	
DEA Flag	Yes/No (1)	1	0	
Algo Flag	Yes/No (1)	1	0	
Liquidity Provision Flag	Yes/No (1)	1	0	
Deferred Publication	Deferred Publication	1	0	
Physical Leg	Physical Leg	20	С	
Execution Source Code	Execution Source Code	1	0	

#### 5.36OE: Order Entry

Incoming: Participant to Exchange

This message is used to enter a regular order in the system.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = OE)	Incoming Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Price Type	Price Type	1	R
Verb	Verb	1	R
Quantity	Quantity	8	R
Price	Price	10	С
Special Price Term	Special Price Term	1	С
Additional Price	Additional Price	10	R
Quantity Term	Quantity Term	1	С
Additional Quantity	Additional Quantity	8	С
Duration Type	Duration Type	1	R
GTD Date	GTD Date	8	С
Opposite Firm	Firm ID	4	С
Clearing Data	Clearing Data	20	С
Owner Data	Owner Data	50	0
Client ID Code Qualifier	Client ID Code Qualifier	1	0
Client ID Code	Client ID Code	10	С
Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0
Investment Decision ID	Investment Decision ID	10	С
Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0
Execution Decision ID	Execution Decision ID	10	R
DEA Flag	Yes/No (1)	1	0
Algo Flag	Yes/No (1)	1	0
Liquidity Provision Flag	Yes/No (1)	1	0
Deferred Publication	Deferred Publication	1	0
Physical Leg	Physical Leg	20	С
Execution Source Code	Execution Source Code	1	0

#### 5.37OM: Order Modification

#### Incoming: Participant to Exchange

This message is used to modify a regular order entered through an OE: Order Entry message. The modified order has to be booked.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = OM)	Incoming Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Price Type	Price Type	1	R
Verb	Verb	1	R
Quantity Sign	Quantity Sign	1	R
Quantity	Quantity	8	R
Price	Price	10	С
Special Price Term	Special Price Term	1	R
Additional Price	Additional Price	10	R
Quantity term	Quantity Term	1	R
Additional Quantity	Additional Quantity	8	R
Duration Type	Duration Type	1	R
GTD Date	GTD Date	8	С
Filler	String (4)	4	R
Modified Order ID	Modified Order ID	8	R
Clearing Data	Clearing Data	20	R
Owner Data	Owner Data	50	0
Physical Leg	Filler (20)	20	С
Execution Source Code	Execution Source Code	1	0

#### 5.38ON: New Strategy Instrument

Incoming: Participant to Exchange

This message is used to enter a request to create a new strategy instrument (flexible combinations) having up to 4 legs.

Field Name	 Field Type	Size	R/C/0	_
Message Header (Message type = ON)	Incoming Message Header	30	R	
Number of Legs	Numeric (2)	2	R	
Leg Group	Group ID	2	R	
Leg Instrument	Instrument ID	4	R	
Verb	Verb	1	R	2 to 4 times
Filler	String (1)	1	R	
Ratio	Quantity	8	R	

#### 5.39OX: Cross Entry

Incoming: Participant to Exchange

This message is used to enter a cross order (involving the same firm on both sides).

Field Name	Field Type	Size	R/C/O
Message Header (Message type = OX)	Incoming Message Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Quantity	Quantity	8	R
Price	Price	10	R
Buying Clearing Data	Clearing Data	20	R
Selling Clearing Data	Clearing Data	20	R
Buying Owner Data	Owner Data	50	0
Selling Owner Data	Owner Data	50	0
Price Type (C: Committed or P:Exchange for Physical or B: Basis Trade/Exchange for Security/Exchange of Future for Swap)	Price Type	1	R
Buying Client Code Qualifier	Client ID Code Qualifier	1	0
Buying Client ID Code	Client ID Code	10	с
Buying Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0
Buying Investment Decision ID	Investment Decision ID	10	С
Buying Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0
Buying Execution Decision ID	Execution Decision ID	10	R
Buying DEA Flag	Yes/No (1)	1	0
Buying Algo Flag	Yes/No (1)	1	0
Buying Liquidity Provision Flag	Yes/No (1)	1	0



Field Name	Field Type	Size	R/C/O
Buying Deferred Publication	Deferred Publication	1	0
Buying Physical Leg	Physical Leg	20	С
Selling Client ID Code Qualifier	Client ID Code Qualifier	1	0
Selling Client ID Code	Client ID Code	10	С
Selling Investment Decision ID Qualifier	Investment Decision ID Qualifier	1	0
Selling Investment Decision ID	Investment Decision ID	10	С
Selling Execution Decision ID Qualifier	Execution Decision ID Qualifier	1	0
Selling Execution Decision ID	Execution Decision ID	10	R
Selling DEA Flag	Yes/No (1)	1	0
Selling Algo Flag	Yes/No (1)	1	0
Selling Liquidity Provision Flag	Yes/No (1)	1	0
Selling Deferred Publication	Deferred Publication	1	0
Selling Physical Leg	Physical Leg	20	С
Buying Execution Source Code	Execution Source Code	1	0
Selling Execution Source Code	Execution Source Code	1	0

#### 5.40PN: Proposal Notice

Outgoing: Exchange to Participant

Field Name	Field type	Size	R/C/O	
Message Header (Message type = PN)	Outgoing Message Header	30	R	
Filler	String (12)	12	С	
Proposal ID	Proposal ID	8	R	
Proposal Status	Proposal Status	1	R	
Proposal Type	Proposal Type	1	R	
Number of Legs (always 01: 1 leg)	Numeric	2	R	
Group	Group ID	2	R	1 to 8 times
Instrument	Instrument ID	4	R	
Price Type	Price Type	1	R	
Verb	Verb	1	R	
Quantity	Quantity	8	R	
Price	Price	10	R	

Field Name	Field type	Size	R/C/O
Duration Type (J: Day)	Duration Type	1	R
Entering Firm ID	Firm ID	4	R
Opposite Firm	Firm ID	4	R
Flex Trade Transparency	Transparency	1	0
Original Order ID	Original Order ID	8	R
Filler	String (20)	20	С
External Symbol	External Symbol	30	R
Filler	String (20)	20	С
Order Status	Status	1	R
Filler*	Filler (1)	1	R
Filler*	Filler (10)	10	R
Filler*	Filler (1)	1	R
Filler*	Filler (10)	10	R
Filler*	Filler (1)	1	R
Filler*	Filler (10)	10	R
Filler*	Filler (1)	1	R
Filler*	Filler (1)	1	R
Filler*	Filler (1)	1	R
Filler*	Filler (1)	1	R
Filler*	Filler (20)	20	R
Filler*	Filler (1)	1	R

\*Filler fields need to be filled "blank"

#### 5.41PR: Proposal Request

Incoming: Participant to Exchange

This message can be used for an Inter Dealer Broker Firm (IDB Firm) in order to propose pre-arranged trade(s).

Field Name	Field type	Size	R/C/O
Message Header (Message type = PR)	Incoming Message Header	30	R
Filler	String (8)	8	R
Firm ID	Firm ID	4	R
Filler	String (9)	9	R
Proposal Type (must be T: Inter Dealer Broker Order)	Proposal Type	1	R

Field Name	Field type	Size	R/C/O	
Number of Legs	Numeric (2)	2	R	
Group	Group ID	2	R	1 up to 4 times
Instrument	Instrument ID	4	R	
Price Type	Price Type (C: Committed or P: Exchange for Physical or B: Basis Trade/Exchange for Security/Exchange of Future for Swap)	1	R	
Verb	Verb	1	R	_
Quantity	Quantity	8	R	_
Price	Price	10	R	
Duration Type (J: Day)	Duration Type	1	R	
Filler	String (4)	4	С	
Opposite Firm	Firm ID	4	R	
Flex Trade Transparency	Transparency	1	0	
Filler	String (79)	79	С	
Filler*	Filler (1)	1	R	
Filler*	Filler (10)	10	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (10)	10	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (10)	10	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (20)	20	R	
Filler*	Filler (1)	1	R	

\*Filler fields need to be filled "blank"

#### 5.42PU: Proposal Update

Outgoing: Exchange to Participant

Field Name

Field type

Size R/C/O

Field Name	Field type	Size	R/C/O	
Message Header (Message type = PU)	Outgoing Message Header	30	R	
Filler	String (12)	12	С	
Proposal ID	Proposal ID	8	R	
Proposal Status	Proposal Status	1	R	
Proposal Type	Proposal Type	1	R	
Number of Legs	Numeric (2)	2	R	
Group	Group ID	2	R	1 to 8 times
Instrument	Instrument ID	4	R	-
Price Type	Price Type	1	R	-
Verb	Verb	1	R	-
Quantity	Quantity	8	R	
Price	Price	10	R	
Duration Type (J: Day)	Duration Type	1	R	-
Entering Firm ID	Firm ID	4	R	-
Opposite Firm	Firm ID	4	R	-
Flex Trade Transparency	Transparency	1	0	-
Original Order ID	Original Order ID	8	R	-
Filler	String (20)	20	С	-
Refusal reason	String (50)	50	0	-
Order Status	Status	1	R	-
Filler*	Filler (1)	1	R	-
Filler*	Filler (10)	10	R	-
Filler*	Filler (1)	1	R	-
Filler*	Filler (10)	10	R	-
Filler*	Filler (1)	1	R	
Filler*	Filler (10)	10	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (1)	1	R	
Filler*	Filler (20)	20	R	
Filler*	Filler (1)	1	R	

\*Filler fields need to be filled "blank"

13 September 2019

#### 5.43XP: Proposal Refusal Request

Incoming: Participant to Exchange

This message is used by the Participants to refuse a pre-arranged trade from an Inter Dealer Broker.

Field Name	Field type	Size	R/C/O
Message Header (Message type = XP)	Incoming Message Header	30	R
Filler	String (8)	8	R
Refused Proposal ID	Proposal ID	8	R
Proposal Type	Proposal Type	1	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Original Order ID	Order ID	8	С
Refusal reason	String (50)	50	С

#### 5.44Q<i>: Bulk Quote

#### Incoming: Participant to Exchange

This is a set of messages to enter Bulk Quotes. The second letter of message type indicates the quantity and price formats (bytes).

#### <i>= A to P (See table below)

X Y	2	4	6	8
4	A	E	1	Μ
6	В	F	J	Ν
8	С	G	к	0
10	D	н	L	Р

Where: X = Price size (including format indicator) and Y = Quantity size

Example: a Message QP is formatted with Price 10 bytes in length and Quantity 8 bytes long.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = Q <i>)</i>	Incoming Message Header	30	R
Group	Group ID	2	R

13 September 2019

Field Name	Field Type	Size	R/C/O	
Quote ID (identifies trader's quote on this group)	Order ID	8	R	
Number of Quotes	Numeric (3)	3	R	
Group	Group ID	2	R	
Instrument	Instrument ID	4	R	-
Verb	Verb	1	R	1 to 280 occurrences (on IDEM market, the
Quantity Sign	Quantity Sign	1	R	maximum is of 100 due to the regulation)
Quantity	Quantity	8	С	
Price	Price	10	С	

#### 5.45RP: Market Maker Protection Subscription

Incoming: Participant to Exchange

This message has two purposes:

- Specify to the trading system what kind of Market Maker Protection should be enabled (standard or advanced)
- Reactivate quoting when Advanced Market Maker Protection has been triggered.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = RP)	Incoming Message Header	30	R
Group	Group ID	2	R
Protection Type	Protection Type	1	R

#### 5.46RQ: Indication of Interest to Trade

Incoming: Participant to Exchange

This message is sent by the participant to broadcast a Indication of Interest to Trade message to other participants.

Field Name	Field Type	Size	R/C/O
Messages Header (Message type = RQ)	Incoming Messages Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Quantity (number of contracts in the Indication of Interest to Trade)	Quantity	8	С

13 September 2019

#### 5.47RT: Risk Master Switch

Incoming: Participant to Exchange

This message is sent by a Risk Manager with the intent of disabling a managed entity and removing all its order and quotes.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = RT)	Incoming Message Header	30	R
Firm	Firm ID	4	R
Trader	Short Trader ID	4	R
Trader Only Flag	Yes/No	1	R

#### 5.48XE: Order Cancellation

Incoming: Participant to Exchange

This message is sent by the participant to cancel an order present in the book.

Field Name	Field Type	Size	R/C/O
Message Header (Message type = XE)	Incoming Messages Header	30	R
Group	Group ID	2	R
Instrument	Instrument ID	4	R
Cancelled Order ID	Order ID	8	R
Owner Data	Owner Data	50	0

#### 6.0 Error Codes

#### 6.1 Error Code Numbers and Description

The following table displays the error codes and text that will appear in error responses.

Error Code	Error Description	
0001	User Identification is not correct	
0002	Protocol Version is not supported	
0003	Message Type is not supported	
0004	Session ID is not active	
0006	Message Type requested is not supported	
0008	Message is too short	
0009	Message is too long	
0010	Message contains Binary Data	
0011	No Heartbeat Activity: Disconnection	
0012	Message Type is Out Of Context	
0013	User ID has been deactivated: Disconnection	
0014	Syntax Error + <detailed text=""></detailed>	
0015	Field value is too small	
0016	Field value is too big	
0100	Firm is Forbidden to trade on this Group	
0101	Duration Type is Forbidden for current Group state	
0102	Verb field (Side) cannot be modified	
0103	Order is not active	
0104	Price Type is forbidden for this instrument	
0105	Price Term is Forbidden for current Instrument state	
0108	Duration Type is Forbidden for current Instrument state	
0109	Order cannot be processed: No opposite limit	
0110	Price does not represent a valid tick increment for this Instrument	
0111	Duration Type is invalid for this Price Type	
0112	Cross Order price must be within the Instrument trading limits	
0113	Cross Order price is outside price spread	
0114	Opposite firm must be filled for committed order	
0116	Cross order is not allowed	
0117	Cross order quantity is outside limits	

Error Code	Error Description	
0118	Duration Type Is Invalid For This Price Term	
0119	Cross order notional value is outside limits	
0120	Disclosed Notional value is below the instrument threshold	
0121	Order Notional value is outside the instrument thresholds	
0122	Physical Leg must be filled for this type of order	
0123	Trade has already been approved	
0124	Order from Account type House cannot have Client Id Code	
0125	Investment decision code is missing	
0126	Client Identification is missing	
0130	Trade cannot be executed with this Account Type	
0132	Deferral is not allowed for the specified Price Type	
0133	Inconsistent Deferred Publication	
0134	Invalid Execution Source Code	
0201	GTD date must be equal to or greater than current day	
0202	GTD date must be equal to or less than Instrument expiration date	
0203	GTD date must be filled only if Duration Type is equal to GTD	
0300	Quantity Term is Forbidden for current Instrument state	
0302	Quantity must be less than or equal to Maximum Improvement Quantity	
0303	Quantity Term is not authorized for this Order Type	
0304	Additional Quantity must be less than Order Quantity	
0305	Additional Quantity is too small	
0306	Minimum quantity cannot be modified	
0307	Quantity Term is forbidden for Duration Type	
0308	Order quantity is outside the instrument quantity threshold	
0309	Quantities must be multiples of lot size	
0402	Trader ID field cannot be modified	
0403	Market Maker not authorized for Group	
0500	Order price is outside the instrument price threshold	
0501	Price field is mandatory for Limit Orders	
0502	Price field must not be filled for this Price Type	
0503	Order cannot be modified or cancelled	
0504	Additional Price is forbidden for Price Term	
0505	Order price must be greater than additional price	

Error Code	Error Description	
0506	Order price must be lower than additional price	
0507	Additional price must be lower than last price or last day price	
0508	Additional price must be greater than last price or last day price	
0509	Order rejected. Cannot trade outside instrument price thresholds.	
0510	Order cannot be modified	
0511	Order price is outside circuit breaker limits	
0512	Price Term Invalid For Price Type	
0666	Message is rejected due to throttling	
0700	Only one quote per Instrument and per Side is accepted	
0701	Quote is not present in the Instrument Book	
0702	Market Maker Protection in progress; Quote not processed.	
0703	Advanced Market Maker Protection not enabled for this Group	
0704	Buy and Sell must not cross for the same instrument	
0705	Number of quotes is not in sync with the message length	
0707	Market Maker Protection state must be re-activated	
0708	Trader ID has no quote for this Group	
0709	All the Instruments must belong to the same Group	
0710	Clearing Data has not been initialized	
1000	Cross orders forbidden in Pre-opening phase.	
1001	Instrument does not exist	
1002	Group ID does not exist	
1003	Trader ID is invalid	
1004	Message Type is forbidden for current Instrument state	
1007	Participant must use A7 protocol version	
1008	RFQ currently underway for this instrument	
1009	Action not allowed under current configuration	
1010	Number of entries is invalid	
1107	Firm or trader had been disabled	
1108	Instrument mandatory when using MM Monitoring mode forced	
1109	Market maker has no obligation for this group	
1110	Participant not authorized for this Group	
1111	Participant not authorized for this Account Type	
2000	Technical error; function not performed. Contact Technical Help Desk.	

Error Code	Error Description	
2001	Gateway State forbids this command. Contact Technical Help Desk.	
2002	Function only partially performed. Contact Technical Help Desk.	
3017	Open Close Missing Invalid	
3041	Unknown Clearing Operation Mode	
3042	Invalid Price Type	
3100	Order Quantity Limit exceeded at the trader/instrument level	
3101	TradedLong limit exceeded at the trader/instrument level	
3102	TradedShort limit exceeded at the trader/instrument level	
3103	ExposedLong limit exceeded at the trader/instrument level	
3107	Order Value limit exceeded at trader/instrument level	
3108	Order Price outside High/Low limits at trader/instrument level	
3104	ExposedShort limit exceeded at the trader/instrument level	
3110	Order Quantity Limit exceeded at the trader/group level	
3111	TradedLong limit exceeded at the trader/group level	
3112	TradedShort limit exceeded at the trader/group level	
3113	ExposedLong limit exceeded at the trader/group level	
3114	ExposedShort limit exceeded at the trader/group level	
3115	TradedSpreads limit exceeded at the trader/group level	
3116	ExposedSpreads limit exceeded at the trader/group level	
3117	Order Value limit exceeded at the trader/group level	
3120	Order Quantity Limit exceeded at the Firm/instrument level	
3121	TradedLong limit exceeded at the firm/instrument level	
3122	TradedShort limit exceeded at the firm/instrument level	
3123	ExposedLong limit exceeded at the firm/instrument level	
3124	ExposedShort limit exceeded at the firm/instrument level	
3127	Order value limit exceeded at the firm/instrument level	
3128	Order Price outside High/Low limits at the firm/instrument level	
3130	Order Quantity limit exceeded at the firm/group level	
3131	TradedLong limit exceeded at the firm/group level	
3132	TradedShort limit exceeded at the firm/group level	
3133	ExposedLong limit exceeded at the firm/group level	
3134	ExposedShort limit exceeded at the firm/group level	
3135	TradedSpreads limit exceeded at the firm/group level	

Error Code	Error Description	
3136	ExposedSpreads limit exceeded at the trader/group level	
3137	Order Value limit exceeded at the firm/group level	
3200	Risk Limit invalid for current group configuration	
3201	Spread Risk Limits cannot be defined for instruments	
3202	Risk Limits cannot be defined for strategy groups	
3203	Price Risk Limits cannot be defined for groups	
9017	Invalid number of legs	
9018	Invalid leg information	
9019	Unknown strategy type	
9020	Firm creation quota has been reached	
9021	Leg instrument is not active	
9022	Strategy has unpriced legs	
9023	Group state does not allow this function	
9024	Legs have different Multi-group Strategy Key	
9025	Legs have different Multi-group Strategy Group	
9026	Order rejected. Cannot assign a valid price to all legs	
9027	Maximum pending flexible creation reached	
9028	Duration type is invalid for this Message Type	
9029	Legs must be on the same CPU	
9030	Strike price is not multiple of tick size	
9031	Flex Series Delivery Date is not a valid trading day	
9032	Flex Series Delivery Date is out of allowed range	
9033	Invalid Proposal ID or Confirmation Order ID	
9034	Invalid order type on Flexible Instrument	
9035	Trading not allowed on Flexible Instrument	
9036	Bundle creation quotas has been reached for the Firm	
9037	Proposal creation quotas has been reached for the Firm	
9040	Proposal is non longer active	

#### 6.2 Internal error codes

The following table displays the internal Error Codes for SAIL. These Error Code are not responded to participant but only to SOLA interface commands.

Error Code	Error Description	
0509	Order Rejected. Cannot trade outside instrument price thresholds.	
1105	Invalid data for Low and high limits	
3032	Other	
9000	Internal. To be defined	
9001	Price Term is forbidden for ISO order	
9002	Quantity Term is forbidden for ISO order	
9003	ISO order must be Limit	
9004	Group Opening not allowed, number of instruments exceeds threshold	
9005	Group Opening not allowed, trading volume exceeds threshold	
9006	Instrument Opening not allowed, a quote crosses the CTO	
9007	ISO order must be IOC	
9008	Change to ISO order is forbidden	
9009	Unknown CPU	
9010	CPU State Forbids This Command	
9013	No order to delete in the book	
9014	Strategy trade must be cancelled leg by leg	
9015	Strategy instrument has some legs closed	
9016	Maximum pending instrument creation reached	
9038	Trading Privilege Is Invalid (MOC)	
9039	Firm Authorization is Invalid (MOC)	

13 September 2019

#### 7.0 Field Definitions

The following table displays the format, length, and description for each field and further explanation of the field types.

Possible formats are:

AlphaNum = Alphanumeric Enum = Predefined set of values Numeric = Numeric value

#### 7.1 Field types and description

Field type	Format	Length	Description
Account Type	Enum	1	Must contain one of the following values: 1: Client 2: House 4: Market Maker 5: Non-Segregated Client 6: Matched Principal
Additional Price	AlphaNum	10	If Special Price Term = S, this field represents the trigger price: i.e. the price from which a STOP order will be triggered. Mandatory if Special Price Term is different from spaces.
Additional Quantity	Numeric	8	It must be different from 0 if Quantity Term = M or D. It must be lower or equal to the number in the Quantity field. It must be higher than the Minimum Displayed Quantity configured by the Exchange for the Underlying.
Assigned Price	Numeric	10	It is the price stored in the system. It would be the limit price for a limit order and the booked price assigned by the system to a partially filled order.
Best Price Setter	Enum	1	<ul> <li>BPS indicates for an incoming order a prevailing best price in the market at a given price level. Must contain one of the following values:</li> <li>0: Price has not the Best Price Setter status</li> <li>1: Price has the Best Price Setter status</li> </ul>
Bulletin Type	Enum	1	Must contain one of the following values: 0: Regular Text Bulletin 1: Stressed Market Condition Start 2: Stressed Market Condition End 4: Stressed Market Obligations Start 5: Stressed Market Obligations End
Call Put Code	Enum	1	C: Call P: Put Must be ignored if not an option.
Clearing Data	AlphaNum	20	This structure is used in order and order related messages for clearing purposes.
Clearing Instruction	AlphaNum	12	The client account number.
Clearing Operation Mode	Enum	1	Indicates the pre-posting action to be taken by the Clearing

Field type	Format	Length	Description
			System when a trade has occurred.
			(blank): none G: Giveup
Client ID Code	AlphaNum	10	Must contain one of the following values: 0000000000: None 0000000001: Aggregation of multiple Client Order (AGGR) 000000002: Pending Allocation (PNAL) Any value between 0000000004 to 4294967295: Short Code
			(blank): Empty
Client ID Code Qualifier	Enum	1	Must contain one of the following values: L: Legal Entity Identifier P: Natural Person 0: None (blank): Empty Conditional: - must be valued with L or P in case Client ID Code is a Short Code (Any value between 0000000004 to 4294967295) - must be valued with 0 or left Empty in case Client ID Code is
			0000000001, 0000000002 or is left Empty
Creation Status	Enum	1	C: Strategy created as specified M: Strategy created with modifications F: Flexible series created A: Flexible series already exists S: Standard series already exists
Date	Numeric	8	YYYYMMDD (Year, Month and Day)
Date Time	Numeric	14	YYYYMMDDHHMMSS (Year, Month, Day, Hours, Minutes, Seconds) Time provided by the Exchange in UTC for IDEM, OB markets and CurveGlobal Markets - Interest Rate Derivatives.
Date Time MS	Numeric	17	YYYYMMDDHHMMSSmmm (Year, Month, Day, Hours, Minutes, Seconds, Milliseconds) Time provided by the Exchange in UTC for IDEM, OB markets and CurveGlobal Markets - Interest Rate Derivatives.
Date Time microsec	Numeric	20	YYYYMMDDHHMMSSmmmuuu (Year, Month, Day, Hours, Minutes, Seconds, Milliseconds, Microseconds) Time provided by the Exchange in UTC for IDEM, OB markets and CurveGlobal Markets - Interest Rate Derivatives.
Deferral Flag	Enum	1	Must contain the following values: " <sup>•</sup> .' blank L: Large in Scale I: Illiquid
Deferred Publication	Enum	1	Must contain the following values: " ": blank D: Deferred I: Immediate (this value is received in execution notice messages, cannot be inserted in input)
Duration Type	Enum	1	Specifies how long the order remains in effect. Must contain one of the following values: J: Day (Valid for the current Day only) D: Good till date (Order is Valid until date)y

Field type	Format	Length	Description
			F: Good till cancel (Valid until instrument expiration) E: Fill and Kill (Immediate order, cannot be booked) W: While Connected
Error Code	Numeric	4	See Error codes section.
Exchange ID	Enum	1	Indicates to which exchange the order needs to be sent. Valid values are:
			I: Italian Derivatives Exchange Market (IDEM) O: Oslo Bors (OB) R: CurveGlobal Markets - Interest Rate Derivatives
Exchange Message ID	AlphaNum	6	Identifies a message sent by the exchange for a participant connection. If Exchange Message ID is blank, the message will not be included in retransmitted messages.
Execution Decision ID	AlphaNum	10	Must contain one of the following values: 000000003: Client Any value between 0000000004 and 4294967295: Short Code
Execution Decision ID Qualifier	Enum	1	Must contain one of the following values: A: Algorithm P: Natural Person 0: None (blank): Empty Conditional: the field must be valued with A or P whenever the Execution Decision ID is populated with a shortcode (value between 000000004 and 4294967295). It should be valued with 0 (None) or left Emty in case the Execution Decision ID is equal to 000000003.
Execution Source Code	String	1	It identifies the type of brokerage activity for each order/quote/trade (FIA value). Possible values are: ' '' "None" 'W' "Desk" 'Y' "Electronic" 'C' "Vendor Provided Platform billed By ExecutingBroker" 'G' "Sponsored Access By ExecutingBroker" 'H' "Premium AlgoTrading Provider billed By ExecutingBroker" 'D" "Other"
External Symbol	AlphaNum	30	Naming convention:         Standard Future Series = Class Symbol + Maturity Year +         Maturity Moth Code         Standard Option Series = Class Symbol + Maturity Year Code         + Maturity Month Code + Strike Price         Flexible Future Series = Class Symbol + Maturity Year +         Maturity Day + Maturity Month Code         Flexible Option Series = Class Symbol + Maturity Year Code +         Maturity Day + Maturity Month Code         Flexible Option Series = Class Symbol + Maturity Year Code +         Maturity Day + Maturity Month Code + Strike Price + Option         Style
Firm Authorization	Enum	1	E: Enable

Field type	Format	Length	Description
Firm ID	AlphaNum	4	Identifies a firm referenced in SOLA® database
Group ID	AlphaNum	2	Group Identification within the system. A Group is composed of instruments.
			Year, Month and Day (YYYYMMDD)
GTD Date	Numeric	8	Must be present only if Duration type = D.
			Represents the order's last active day.
Group State	Enum	1	This parameter indicates the new status of the group. It contains one of the following values: C: Consultation Start E: Intervention before Opening P: Pre-opening O: Opening S: Continuous Trading Session F: End of Consultation N: Exchange Intervention M: Mini-batch B: Closing I: Prohibited Z: Interrupted (general interruption in trading)
Hedge/Spec	Enum	1	Must contain one of the following values:
Instrument ID	AlphaNum	4	S: Speculator
Instrument Status	Enum	1	Can contain the following values: N : Normal. The instrument follows group state processing. F : Forbidden. Trading is forbidden for this instrument. Orders and quotes are rejected. R : Reserved (Auction) C: Not Trading (strategies) H: Hidden (Flexible) S: Suspended
Investment Decision ID	Numeric (10)	10	Must contain one of the following values: 0000000000: None Any value between 0000000004 and 4294967295: Short Code (blank): Empty
Investment Decision ID Qualifier	Enum	1	Must contain one of the following values: A: Algorithm P: Natural Person 0: None (blank): Empty Conditional: The field must be valued with A or P whenever the Investment Decision Code ID is populated with a shortcode (value between 000000004 and 4,294,967,295). It should be valued with 0 = None or left Empty in case the Investment Decision ID is equal to 000000000 or left Empty
Liquidity Status	Enum	1	M: Maker T: Taker (blank): None
Leg Number	Numeric	2	Number of legs for a strategy instrument. Maximum value of 40

Field type	Format	Length	Description
Match Number	AlphaNum	8	Format GGxxxxxx GG = Group of strategy instrument X = numeric Unique ID to link all trades issued from a strategy-order match
Measurement Units	Enum	1	Must contain one of the following values: M: MWh K: kWh T: Ton (blank): None
Memo	AlphaNum	50	Free text zone, which can be used to transmit additional information for processing. No validations are carried out on this field.
Message Type	AlphaNum	2	Type of Message
MM Alert Level	Enum	1	Indicates the severity level of the alert: 0: OK 1: Warning 2: Infraction 3: OK Stressed Market Obligation 4: Warning Stressed Market Obligation 5: Infraction Stressed Market Obligation
MM Alert Type	Enum	1	Indicates the reason for the alert: 0: OK 1: Prices missing 2: Bid price missing 3: Ask Price missing 4: Spread too wide 5: Quantities too small 6: Bid quantity too small 7: Ask quantity too small 8: Quote minimum lifetime not fulfilled 9: Quantities outside comparable size deviation
MM Monitoring Activity	Enum	1	Q: Quoting R: RFQ S: Quoting on Stressed Market Obligations T: RFQ on Stressed Market Obligations
Modified Order ID	Alpahum	8	Order ID of the original order being modified.
Month Code	Alphanum	1	Indicates in 1 char the month.
Notional Value	Numeric	16	Notional Value: 12 integer + 4 decimals
Number In Match	Numeric	4	Number of trades which are generated from a match
Numeric (X)	Numeric	x	Absolute number. Used to identify the number of occurrences for fields. X determines field length in bytes.
Open/Close	Enum	1	This data field indicates how the participant's position will be handled by the clearing system. Must contain one of the following values: Any number of Legs or Single Security: O: All Legs are Open, or Single Security C: All Legs are Closed, or Single Security

Field type	Format	Length	Description
			2 Legged Strategy:
			1: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close 2: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open
			3 Legged Strategy:
			3: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Close 4: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open 5: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Close 6: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open 7: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Close 8: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open
			4 Legged Strategy:
			A: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close B: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Close, 4 <sup>th</sup> Leg Open D: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close E: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close G: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close G: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Close, 4 <sup>th</sup> Leg Close I: 1 <sup>st</sup> Leg Open, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Close, 4 <sup>th</sup> Leg Close I: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close I: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close I: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close I: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close K: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close M: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Open, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Open I: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close M: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close M: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close M: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close M: 1 <sup>st</sup> Leg Close, 2 <sup>nd</sup> Leg Close, 3 <sup>rd</sup> Leg Open, 4 <sup>th</sup> Leg Close
Option Style	Enum	1	A : American E : European
Order ID	AlphaNum	8	Identifies an order. Associated with Group ID and Instrument ID; it is the order Key identifier.
Original Order ID	AlphaNum	8	First Order ID assigned to the order by the trading system.
Original Reference ID	AlphaNum	8	References either the Original Order ID of the traded order, or the Quote ID of the quote that has traded.
Order Type	Enum	1	Must contain one of the following values for regular order: O: Order Q: Quote X: Cross Order
Order Trading mode	Enum	1	Contains one of the following values for regular order: (blank): Normal
Owner Data	AlphaNum	50	Memo
Password	AlphaNum	8	This is used to validate the user's connection to the SAIL interface. The password is provided by service desk.
Physical Leg	Memo Text	20	Text. It must be filled only in case of Price Type is Exchange for Physical
Price	AlphaNum	10	Price format with format indicator and price mantis. <u>Format indicator (1)</u> : If the format indicator is Alpha, it means that the price is

Field type	Format	Length	Description
			negative (A means negative value with no decimal, B means negative value with 1 decimal, C means negative value with 2 decimals, etc).
			If the format indicator is Numeric, it means that the price is positive (0 means positive value with no decimal, 1 means positive value with one decimal, 2 means positive value with 2 decimals, etc). The maximum is 4 decimal places for both positive and negative values.
			If the format indicator is set to spaces, it means that the price is not significant.
			Price mantis (9): The mantis represents the price value including the number of decimals defined in the format indicator.
			Examples: Format indicator = 2; Price mantis = 3789438; Price = 35094.38 Format indicator = A; Price mantis = 3567838; Price = - 3567838 Format indicator = ; Price mantis = 3567838; Price = not significant
			Must contain one of the following values:
Price Notation	Enum	1	'M' MONE 'P' PERC 'Y' YIEL 'B' BAPO (blank): None
			Must contain one of the following values for regular order:
Price Type	Enum	1	L: Limit (price set in message) O: at Opening price M: at best opposite price (Top Order) W: at any price (Market Order) C: Committed (blank): Unknown P: Exchange for Physical B: Basis Trade/Exchange for Security/Exchange of Future for Swap
Product Type	Enum	1	O: Option F: Future B: Binary
Proposal ID	Alphanum	8	Unique identifier during the current trading session of the Proposal in the platform (associated to the Proposal Type).
Proposal Status	Enum	1	W: Waiting for approval A: Approved R: Refused
Proposal Type	Enum	1	B: Bundle Order T: Inter Dealer Broker Order
Protection Type	Enum	1	Type of protection requested by the Market Maker. Allowable values are: N: Standard Protection A: Advanced Protection
			Must contain one of the following values:
PTT Trade Type	Enum	1	' ': None T: Trade Type Pack Trans X: Exchange For Physical

Field type	Format	Length	Description
			Must contain one of the following values:
PTT Cancellations and Amendments	Enum	1	' ': None C: Cancelled A: Amended
Quantity	Numeric	8	Number of contract or shares
Quantity Sign	Enum	1	<ul> <li>For a quote or an order update, it identifies how to handle the quantity:</li> <li>+: add the incoming quantity to the booked quantity</li> <li>-: subtract the incoming quantity from the booked quantity</li> <li>=: replace the booked quantity with the incoming quantity</li> </ul>
Quantity Term	Enum	1	M: Minimum D: Disclosed (blank): None
Quote Cancel Reason	Enum	1	S: Cancelled by System M: Cancelled by Market Control A: Cancelled by Trader P: MMP Nb Trades T: MMP Volume R: MMP Value N: MMP Delta Volume V: MMP Delta Volume V: MMP Delta Value B: Eliminated out of Limits I: Eliminated on Disconnect C: Eliminated by Circuit Breaker
Reference ID	Alphanum	8	It references the order (Order ID) or the quote (Quote ID) that has traded.
Risk Limit Type	Enum	1	Must contain one of the following values: 1: Traded Long 2: Traded Short 3: Exposed Long 4: Exposed Short 5: Traded Spreads 6: Exposed Spreads
SAIL Protocol ID	AlphaNum	2	Sail Protocol ID. Only supported value is A7.
Session ID	AlphaNum	4	Identifies the current session ID.
Short Trader ID	AlphaNum	4	Identifies the trader in messages where the Firm is already expressed in another field. It is the same as the 4 last characters of the type Trader ID.
Special Price Term	Enum	1	Can contain the following values: (blank): No term S: Stop T: If Touched E: Stop On Bid F: If Bid Touched I: Stop On Ask H: If Ask Touched
Special Trade Indicator	Enum	1	(blank): Normal Trade 1: Exchange Granted 1 (EG1) 2: Exchange Granted 2 (EG2) 3: Unpublished Crossed Block 4: Unpublished Committed Block

Field type	Format	Length	Description
			B: Block D: Crossed K: Committed Block T: Committed A: As of Trade E: Exchange for Physical L: Late Trade s: Basis Trade/Exchange for Security/Exchange of Future for Swap
Status	Enum	1	This parameter provides the participant with the outcome reserved for the order that is the subject of the entry, modification, or cancellation. This parameter takes the following values: (blank): Order put in the order book (having possibly been partially executed) A: Cancelled by trader X: Order executed (remaining quantity having possibly been eliminated due to FAK or SEP) E: The order has been eliminated by the trading engine. B: Order eliminated (Out of instrument limits) C: Order eliminated by Circuit Breaker M: Eliminated by Market Control I: Eliminated oue to Unpriced Leg R: Eliminated Due To Risk Master Switch S: Order put in book as Stop order T: Eliminated Due To Risk Limit Exceeded W: Waiting for approval (applicable for messages related to Proposals) Z: Removed by SEP (Self Execution Prevention Rule)
Strike Price	Numeric	11	First 7 characters represent the integer part and following 4 characters represent the decimal part. For example, strike 10.05 representation is 00000100500
String	AlphaNum	x	Free text depending on the context
Time	Numeric	6	HHMMSS Time provided by the Exchange in UTC and microseconds for IDEM, OB markets and for CurveGlobal Markets - Interest Rate Derivatives.
Time UTC and microsec	Numeric	12	HHMMSSmmmsss Time provided by the Exchange in UTC and microseconds for IDEM, OB markets and for CurveGlobal Markets - Interest Rate Derivatives.
Trade Memo	AlphaNum	50	Text entered by the Exchange when it is a manual Trade Entry.
Trade Number	Numeric	8	Identifies the trade number for an instrument and one day
Trade Reason	Enum	2	Must contain one of the following values: 01: Trade details will be published immediately – Trade details do not permit deferred publication 02: Trade details will be published immediately – All counterparties stated no preference 03: Trade details will be published at the end of the day – At least one counterparty required deferred publication
Trade Status	Enum	1	Must contain one of the following values: A: Approved and published B: Approved and deferred

Field type	Format	Length	Description
			W: Waiting for approval P: Parked
Trade Type	Enum	1	Identifies the origin of the trade O: Opening M: Trade entered by the Exchange F: Traded during Continuous Trading
Trader ID	AlphaNum	8	Identifies the trader: 4 first characters : Firm Identifier 4 Last characters: Trader Identifier
Transparency	Enum	1	(blank): Published U: Unpublished
Type of Cancellation	Enum	1	Must contain one of the following values: A: All O: OrdersOnly Q: QuotesOnly
Underlying Price Type	Enum	1	Identifies the type of the Update. Possible values are: N: Normal C: Closing A: At the money update
User ID	AlphaNum	8	Identifies the User for a connection. The User ID must be referenced in the Exchange's configuration database.
User Sequence ID	Numeric	8	Identifies all the incoming business messages for one connection. Must be sequential and start at 1 at the beginning of the day. Used by the Exchange to track gaps in message sequence.
Verb	Enum	1	Identifies an order/quote side: B: Buy S: Sell (blank): Empty for trades on strategy
Waiver indicator	Enum	1	Must contain one of the following values: '.': None 0: Large In Scale 1: Illiquid Instrument 2: Above Size 3: Exchange For Physical 4: Package transaction
Yes/No	Enum	x	Set of Yes/No values: Y: Yes N: No (blank): Unknown

13 September 2019

#### 8.0 Appendix A: Regular Message Flow

#### 8.1 Status Information Dissemination

#### A Group of Instruments is Opening

Participant		Exchange	Notes
	÷	Group State Change (NG)	Group Status = Trading Session

#### Authorize / Forbid / Reserve Order Entry

Participant		Exchange	Notes
	÷	Instrument State Change (NI)	

#### Interrupt / Forbid an Instrument Group

Participant		Exchange	Notes
	÷	Group State Change (NG)	Group Status = Interrupted / Forbidden

#### 8.2 Order Processing

#### Order is rejected

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		
	÷	Error Notice (ER) / Technical Error Notice (TE)	

#### Order is accepted but not executed with a price that does not improve the market

Participant		Exchange	Notes
Order Entry (OE)	<b>→</b>		

Participant		Exchange	Notes
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order put in the order book

#### Order is accepted but not executed with a price that improves the market

Participant		Exchange	Notes
Order Entry (OE)	<b>→</b>		
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order put in the order book
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1

#### Order is accepted and partially executed

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		
	÷	Order Acknowledgment (KE)	The order acknowledgement indicates the quantity traded at order entry.
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
	÷	Execution Notice (NT)	
	÷	Leg Execution Notice (NL)	Several Leg Execution Notices also sent to Participant if OE is on a Strategy Instrument.

#### Order is accepted and fully executed

Participant

Notes

Participant		Exchange	Notes
Order Entry (OE)	<b>→</b>		
	÷	Order Acknowledgment (KE)	Order Status = X: Order Executed
	÷	Execution Notice (NT)	In all Execution scenarios, SOLA will automatically set the 'ID Code for Counterpart Participant' field to the receiving firm's Participant ID if the participant traded against one of its own orders.
	÷	Leg Execution Notice (NL)	Several Leg Execution Notices also sent to Participant if OE is on a Strategy Instrument

#### Stop order triggered trades partially

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		Special Price Term = S: Stop T: If Touched E: Stop On Bid F: If Bid Touched I: Stop On Ask H: If Ask Touched
	÷	Order Acknowledgment (KE)	Order Status = S: Order put in book as Stop order
The Stop condition is triggered			
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order put in the order book
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
	÷	Execution Notice (NT)	

#### Market order partially trades

Participant	_	Exchange	Notes
Order Entry (OE)	<b>→</b>		Price Type = M: at best opposite price (Top Order) W: at any price (Market Order)
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order in book
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
	÷	Execution Notice (NT)	N Trade Execution Notices, one for each trade, at the same price (M at best opposite price) or different price levels (W: at any price).

#### **Pre-opening**

During Auction phase, orders will not be assigned with BPS status.

Participant		Exchange	Notes
	÷	Group Status Change (NG)	Group Status = P: Preopening
Order Entry (OE)	<b>→</b>		
	÷	Order Acknowledgment (KE)	Order Status = (blank): Booked

#### 8.3 Time validity

#### Immediate Order is partially executed in Trading Session

Participant		Exchange	Notes
Order Entry (OE)	<b>→</b>		

13 September 2019

Participant		Exchange	Notes
	÷	Order Acknowledgment (KE)	Order Status= X: Order executed
	÷	Execution Notice (NT)	In all Execution scenarios, SOLA will automatically set the 'ID Code for Counterpart Participant' field to the receiving firm's Participant ID if the participant traded against one of its own orders.
	÷	Leg Execution Notice (NL)	Several Leg Execution Notices also sent to Participant if OE is on a Strategy Instrument
	÷	Order Cancellation Notice (NZ)	The remaining quantity (not traded) is cancelled.

#### Immediate Order is not executed in Trading Session

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		
	÷	Order Acknowledgment (KE)	Order Status = E: Eliminated by Trading Engine

#### While Connected orders cancelled on disconnection with the Exchange

Orders with Time Validity parameter set to "W" ("While Connected") will be automatically cancelled in case of disconnection from the SOLA System. An ORDER CANCELLATION NOTICE message (NZ) with Order Status equal to "Eliminated on Disconnect" is received by the Participant on reconnection.

Participant		Exchange	Notes
Order Entry (OE)	<b>→</b>		Duration type is While Connected
	÷	Order Acknowledgment (KE)	

Participant		Exchange	Notes
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
Connection Interruption			
	÷	NZ	One NZ with <b>Order Status = I:</b> Eliminated on Disconnect is emitted per While Connected order entered

#### While Connected orders cancelled on End Of Day

Participant	_	Exchange	Notes
Order Entry (OE)	<b>→</b>		Duration type is While Connected
	÷	Order Acknowledgment (KE)	
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
End Of Day			
	÷	NZ	One NZ with Order Status = E: Eliminated by Trading Engine is emitted per While Connected order entered

#### Good Till Date orders cancelled on date reached

Good Till Date orders holding the BPS status will lose it at the end of the trading session when they were inserted.

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		Duration type is Good Till Date (GTD)
	÷	Order Acknowledgment (KE)	

Participant		Exchange	Notes
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
End of Day			
	÷	Best Price Setter Notice (BP) If the BPS is configured and order had the BPS status	Best Price Setter = 0
Current Day = GTD (End of Day)			
	÷	NZ	One NZ with Order Status = E: Eliminated by Trading Engine is emitted per GTD order expired on a given date

#### Good Till Cancel orders cancelled on message cancellation sent

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		Duration type is Good Till Cancel (GTC)
	÷	Order Acknowledgment (KE)	
		Best Price Setter Notice (BP)	
	÷	If the BPS is configured and the order price improves the market	Best Price Setter = 1
End of Day			
		Best Price Setter Notice (BP)	
	÷	If the BPS is configured and order had the BPS status	Best Price Setter = 0
Current Day <= GTC			
Order Cancellation (XE)	÷		
	÷	Order Cancellation Acknowledgment (KZ)	

13 September 2019

#### Day orders cancelled during the End of Day process

Participant	_	Exchange	Notes		
Order Entry (OE)	<b>→</b>		Duration type is Day		
	÷	Order Acknowledgment (KE)			
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1		
End Of Day	End Of Day				
	÷	NZ	One NZ with Order Status = E: Eliminated by Trading Engine is emitted per Day order entered for a given date		

#### 8.4 Quantity Terms

#### Minimum quantity with partial execution

Participant1	_	Exchange	Notes
Order Entry (OE)	<i>→</i>		Quantity Term = M: Minimum
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order put in the order book
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
	÷	Execution Notice (NT)	Quantity Traded >= Minimum Quantity Remaining Quantity = Original Quantity- Quantity Traded

#### **Disclosed quantity order**

Pro-Rata algorithm does not support Orders with Disclosed Quantity (Iceberg Orders).

Participant1		Exchange	Notes	
Order Entry (OE)	<i>→</i>		Quantity Term = D: Disclosed	
	÷	Order Acknowledgment (KE)	Order Status = (blank): Order put in the order book	
	÷	Execution Notice (NT)	Order Remaining Quantity = Original Quantity - Traded Quantity	

#### 8.5 Circuit Breaker

#### Limit Order Trigger Circuit Breaker when the Circuit Breaker State is Suspended

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		
	÷	Order Acknowledgment (KE)	Order Status = E: Eliminated by Trading Engine
	÷	Instrument State Change (NI)	NI is sent to all Participants with the new instrument state equal to Suspended.

#### Limit Order Trigger Circuit Breaker and when the Circuit Breaker state is Reserved

Participant		Exchange	Notes
Order Entry (OE)	÷		
	÷	Order Acknowledgment (KE)	Order Status = (blank): Booked
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1

Participant		Exchange	Notes
	÷	Instrument State Change (NI)	NI is sent to all Participants with the new instrument state equal to Reserved.
Order Entry (OE)	<i>→</i>		
	÷	Order Acknowledgment (KE)	Order Status = (blank): Booked

#### Order eliminated by an instrument limit update (X, Y or Z Validation)

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		
	÷	Order Acknowledgment (KE)	Order Status = (blank): Booked
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	Best Price Setter = 1
Instrument Limit Update (X, Y or Z )	/alidation)		
	÷	Order Cancellation Notice (NZ)	Order Status= Eliminated

### Incoming limit order with price outside the instrument minimum or maximum price (X Validation)

Participant		Exchange	Notes
Order Entry (OE)	÷		
	÷	Order Acknowledgment (KE)	Order Status = Eliminated

13 September 2019

#### 8.6 Self Execution Prevention

Self Execution Prevention (SEP) is a mechanism to prevent, if configured, that an order book from a Firm trades against its own orders in Continuous Trading session whenever the traders involved belong to the same SEP group. SEP does not apply to Trade Reports and Implied orders (currently is not supported for Orders with Minimum/Disclosed Quantity Term).

- Order vs Order: Trader SEP Criteria rule from incoming order applies
  - o Cancel Incoming Order
  - Cancel Resting Order
  - o Cancel Both Orders
  - Reduce and Cancel: Order with higher quantity is reduced and order with lower quantity is cancelled. When incoming order quantity is lower than resting order quantity and resting Order SEP Criteria is not Reduce and Cancel, then both orders are cancelled.
- Quotes: quote takes priority over submitted orders
  - o Incoming Quote vs. Resting Order: Cancel Resting Order
  - o Incoming Order vs. Resting Quote: Cancel Incoming Order
  - Incoming Quote vs. Resting Quote: no SEP rule is applied i.e. the trade will be processed and executed if market conditions are met.

#### Cancel Incoming Order (CIO) Rule (order vs order) with no execution

Participant1 (Resting)	Exchange		Participant2 (Incoming)	Notes
		÷	Order Entry (OE)	
	Order Acknowledgement (KE)	<i>→</i>		With Order Status = Z: Removed by SEP if the SEP has been triggered at the first book level for FIFO or first price level in case of Pro-Rata matching type

#### Cancel Incoming Order (CIO) Rule (order vs order) triggered after partial execution

Participant1 (Resting)	Exchange		Participant2 (Incoming)	Notes
		÷	Order Entry (OE)	

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
		Order Acknowledgement (KE)	÷		With Order Status= X: Order executed if the SEP has been triggered after the incoming order has partially traded against one/more book levels.
	÷	Execution Notice (NT) unsolicited	÷		Trade Execution
		Order Cancellation Notice (NZ) unsolicited	<i>→</i>		Order Cancellation Notice The remaining quantity (not traded) is cancelled.

#### Cancel Resting Order (CRO) Rule (order vs order) with no execution (first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status = (blank): Order put in the order book
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	÷		Best Price Setter = 1

### Cancel Resting Order (CRO) Rule (order vs order) when incoming Market Order is at any price with no execution (first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

Participant1 (Resting)	Exchange	Exchange		Notes
	Order Acknowledgement (KE)	÷		Order Status = E: Eliminated
	Order Update Notice (NU) unsolicited	÷		Order Update Notice with new quantity Order Quantity of the Incoming Order = 0

#### Cancel Resting Order (CRO) Rule (order vs order) with partial execution

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status = (blank): Order put in the order book
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
		Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	÷		Best Price Setter = 1
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP

#### Cancel Resting Order (CRO) Rule (order vs order) fully traded

Participant1 (Resting)	Exchange		Participant2 (Incoming)	Notes
		÷	Order Entry (OE)	
	Order Acknowledgement (KE)	<i>→</i>		Order Status= X: Order executed

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution

#### Cancel Both Orders (CBO) Rule (order vs order) with no execution (first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	<i>→</i>		With Order Status = Z: Removed by SEP if the SEP has been triggered at the first book level
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

#### Cancel Both Orders (CBO) Rule (order vs order) and partial execution

Participant1 (Resting)	_	Exchange	_	Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	<i>→</i>		With Order Status= X: Order executed has been triggered after the incoming order has partially traded against one/more book levels
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP
		Order Cancellation Notice (NZ) unsolicited	<b>→</b>		Order cancellation notice having <b>Order</b> <b>Status = Z: Removed by SEP</b> in case the incoming order has been partially executed against one or more levels before the SEP is triggered

13 September 2019

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - with no execution (first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status = (blank): Order put in the order book
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Order Update Notice (NU) unsolicited	÷		Order Update Notice with new quantity Order Quantity of the Incoming Order = Incoming Qty - Resting Qty
		Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	÷		Best Price Setter = 1

### Reduce and Cancel (RC) Rule (order vs order) when incoming Market Order is at any price and quantity is greater than resting order - with no execution (first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status = E: Eliminated
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Order Update Notice (NU) unsolicited	÷		Order Update Notice with new quantity Order Quantity of the Incoming Order = $0$

13 September 2019

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - with partial execution

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status = (blank): Order put in the order book
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
		Order Update Notice (NU) unsolicited	÷		Order Update Notice with new quantity Order Quantity of the Incoming Order = Incoming Qty (when SEP is triggered) - Resting Qty
		Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market	÷		Best Price Setter = 1

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is greater than resting order - fully executed

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order Status= X: Order executed
		Order Update Notice (NU) unsolicited	÷		Order Update Notice with new quantity Order Quantity of the Incoming Order = Incoming Qty (when SEP is triggered) - Resting Qty
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

13 September 2019

Participant1 (Resting)	Exchange		Participant2 (Incoming)	Notes
	Execution Notice (NT) unsolicited	÷		Trade Execution

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is equal to resting order – with no execution (at first book level)

Participant1 (Resting)		Exchange	_	Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	<i>→</i>		With Order Status = Z: Removed by SEP
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is equal to resting order – partially executed

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		With Order Status = X: Order Executed
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
		Order Cancellation Notice (NZ) unsolicited	÷		Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

13 September 2019

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order – with no execution (at first book level)

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		Order cancellation notice having Order Status = Z: Removed by SEP
	÷	Update Order Notice (NU) unsolicited			New Quantity = Resting Qty – Incoming Qty.
		Update Order Notice (NU) unsolicited	÷		New Quantity = 0

### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order – partially executed

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	<i>→</i>		Order Status = X: Order Executed
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution. Qty Traded
		Update Order Notice (NU) unsolicited	<i>→</i>		Removed Quantity = Incoming Qty – Traded Qty
	÷	Update Order Notice (NU)			New Quantity = Resting Qty – Incoming Qty.

## Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order – with SEP Criteria for Resting Order different than RC with no execution (first book level)

Participant1 (Resting)

Exchange

Participant2 (Incoming)

Notes

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		With Order Status = Z: Removed by SEP if the SEP has been triggered at the first book level
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order</b> Status = Z: Removed by SEP

#### Reduce and Cancel (RC) Rule (order vs order) when incoming order quantity is less than resting order – with SEP Criteria for Resting Order different than RC with partial execution

Participant1 (Resting)		Exchange		Participant2 (Incoming)	Notes
			÷	Order Entry (OE)	
		Order Acknowledgement (KE)	÷		With Order Status= X: Order executed has been triggered after the incoming order has partially traded against one/more book levels
		Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having Order Status = Z: Removed by SEP
		Order Cancellation Notice (NZ) unsolicited	÷		Order cancellation notice having <b>Order</b> <b>Status = Z: Removed by SEP</b> in case the incoming order has been partially executed against one or more levels before the SEP is triggered

#### SEP Rules in case of Incoming Quote vs Order

Participant1 (Resting)	Exchange		Participant2 (Incoming)	Notes
		÷	Bulk Quote Entry (QP)	
	Bulk Quote Acknowledgement (LA)	<i>→</i>		

13 September 2019

Participant1 Exchange (Resting)			Participant2 (Incoming)	Notes	
	÷	Order Cancellation Notice (NZ) unsolicited			Order cancellation notice having <b>Order Status = Z: Removed by SEP</b>
		Best Price Setter Notice (BP) If the BPS is configured and the quote price improves the market (for each single quote)	÷		Best Price Setter = 1
		Best Price Setter Notice (BP) If the BPS is configured and modification of price or quantity is accepted for an quote that loses its BPS status (for each single quote)	<i>→</i>		Best Price Setter = 0

#### SEP Rules in case of Incoming Order vs Quote

Participant1 (Resting)	 Exchange		Participant2 (Incoming)	Notes
		÷	Order Entry (OE)	
	Order Acknowledgement (KE)	÷		With Order Status = Z: Removed by SEP

#### 8.7 Modification Processing

Order modifications will be handled as per below:

- If an order is the BPS, and Quantity is increased or Price is modified, the order is re-evaluated (it could either lose or maintain the BPS status). Otherwise, the order keeps the BPS status.
- If an order is not the BPS, any requested modification will trigger the order to be re-evaluated and it will gain the BPS if it improves the market.

#### Modification is rejected

Participant		Exchange	Notes
Order Modification (OM)	<i>→</i>		
	÷	Error Notice (ER)	

#### Modification is accepted

Participant		Exchange	Notes
Order Modification (OM)	<i>→</i>		
	÷	Order Modification Acknowledge (KM)	
			If modification is accepted for an order with no BPS status and order price improves the market
			E.g. Price is modified / Quantity is increased / Quantity is decreased
			Best Price Setter = 1
			If modification of price or quantity increase is accepted for an order that loses its BPS status Previous BPS value was 1
	÷	Best Price Setter Notice (BP) BPS is configured	E.g. Quantity is increased (New Quantity > Remaining Quantity)
			Best Price Setter = 0
			If the modification of price or quantity increase is accepted and order that maintains its BPS status. Previous BPS value was 1
			E.g. Price is modified / Quantity is increased (New Quantity > Remaining Quantity)
			Best Price Setter = 1

#### Modification is Accepted, Order Trades against n Counterparts

Participant

Exchange

Participant (1..n) Counterparties

Notes



Participant		Exchange		Participant (1n) Counterparties	Notes
Order Modification (OM)	÷				
	÷	Order Modification Acknowledge (KM)			
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market			Best Price Setter = 1
	÷	Execution Notice (NT)	→		
	÷	Execution Notice (NT)	<i>→</i>		
	÷	Execution Notice (NT)	<i>→</i>		
Order Modification (OM)	÷				E.g. Quantity is increased New Quantity > Remaining Quantity
	÷	Order Modification Acknowledge (KM)			
					If modification of price or quantity increase is accepted for an order that <u>loses its BPS status</u>
	÷	Best Price Setter Notice (BP) If the BPS is configured			Best Price Setter = 0 If modification of price or quantity increase is accepted for an order that <u>maintains its BPS</u> <u>status</u>
					Best Price Setter = 1

13 September 2019

#### **Cancellation is accepted**

Participant	_	Exchange	Notes
Order Cancellation (XE)	<i>→</i>		
	÷	Order Cancellation Acknowledgment (KZ)	

#### Cancel all Quotes of a Group for a Market Maker (Global Cancellation)

Participant		Exchange	Notes
Global Cancellation (GC)	÷		
	÷	Global Cancellation Acknowledgment (KG)	

In case of Global cancellation performed by the Exchange, Participants receive Cancellation of All Quotes Notices (NP) message. Trader Id field of this message contains member code only.

#### 8.8 Quote Processing

Any requested modification will trigger the quote to be re-evaluated and it will gain the BPS if it improves the market, regardless its previous BPS status.

#### **Entering Bulk Quote Data**

Participant		Exchange	Notes
Bulk Quote Data (BD)	<i>→</i>		The clearing data present in the BD message is valid for all the Bulk quotes sent by this trader until either another BD message is sent or the end of the week session.
	÷	Bulk Quote Data Acknowledgment (KD)	
Bulk Quote (Q <i>)</i>	<i>→</i>		The Message Type for bulk quote messages varies depending on the volume of quantity and price.

Participant		Exchange	Notes
	÷	Bulk Quote Acknowledgment (LA)	
Bulk Quote Data (BD)	<i>→</i>		
	÷	Error Notice (ER)	The clearing data present in the BD message is invalid and the message is rejected.
Bulk Quote (Q <i>)</i>	<i>→</i>		The Message Type for bulk quote messages varies depending on the volume of quantity and price.
	<b></b>	Bulk Quote Acknowledgment (LA)	Quote is accepted and refers to the first Bulk Quote Data successfully entered

#### **Entering or Modifying Quotes**

Participant		Exchange	Notes
Bulk Quote Data (BD)	<b>→</b>		The clearing data present in the BD message is valid for all the Bulk quotes sent by this trader until either another BD message is sent or the end of the session.
	÷	Bulk Quote Data Acknowledgment (KD)	
Bulk Quote (Q <i>)</i>	<i>→</i>		The Message Type for bulk quote messages varies depending on the volume of quantity and price.
	÷	Bulk Quote Acknowledgment (LA)	
		Best Price Setter Notice (BP)	
	÷	If the BPS is configured and the quote price improves the market (for each single quote)	Best Price Setter = 1

Participant		Exchange	Notes
	¢	Best Price Setter Notice (BP) If the BPS is configured and modification of price or quantity is accepted for an quote that loses its BPS status (for each single quote)	Best Price Setter = 0

#### Entering or Modifying Quotes that Trade

Participant initiator		Exchange		Participant (1n)	Notes
Bulk Quote (Q <i>)</i>	<i>→</i>				
	÷	Bulk Quote Acknowledgment (LA)			
	÷	Execution Notice (NT)			One execution notice (Message Type NT) per trade.
	÷	Leg Execution Notice (NL)			Several Leg Execution Notices also sent to Participant if Q <i> is on a Strategy Instrument</i>
		Execution Notice (NT)	÷		
	÷	Best Price Setter Notice (BP) If the BPS is configured and the quote price improves the market (for each single quote)			Best Price Setter = 1
	÷	Best Price Setter Notice (BP) If the BPS is configured and modification of price or quantity increase is accepted for an quote that loses its BPS status (for each single quote)			Best Price Setter = 0

#### Indication of Interest to Trade

Participant		Exchange	Notes
Indication of Interest to Trade (RQ)	÷		

Participant		Exchange	Notes
	÷	Standard Acknowledgment (KO)	

#### 8.9 Market Maker Messages

#### Market Maker Monitoring - Invalid Bulk Quote Grace Period Elapsed

Participant		Exchange	Notes	
Bulk Quote (Q <i>)</i>	<i>→</i>		Invalid bulk quote.	
	÷	Bulk Quote Acknowledgment (LA)	The LA message contains the number of quotes in error.	
Market Maker status in Warning stat	Market Maker status in Warning state. When grace period ends, it becomes in Infraction state.			
	÷	Monitoring MM Status (MM)	MM message is sent every time the Market Maker is Status = Infraction	
Bulk Quote (Q <i>)</i>	<i>→</i>		The Market Maker sends a valid new quote.	
	÷	Bulk Quote Acknowledgment (LA)		
	÷	Monitoring MM Status (MM)	Status = OK	

#### Underlying last traded price raised an MM Infraction message

Participant		Exchange	Notes
	÷	Monitoring MM Status (MM)	A MM message is sent only if the Market Maker is in infraction, following the last traded price on the underlying.

#### Market Maker Protection Subscription Accepted

Participant		Exchange	Notes
Market Maker Protection Subscription (RP)	<i>→</i>		
	÷	Standard Acknowledgment (KO)	

#### Market Maker Protection Subscription Rejected

Participant		Exchange	Notes
Market Maker Protection Subscription (RP)	<b>→</b>		
	÷	Error Notice (ER)	

#### Market Maker Protection Triggered

Participant		Exchange	Notes
	÷	Cancellation of all Quotes Notice (NP)	A single NP message to indicate all cancelled quotes for a group and market maker.

#### Underlying Price used to Determine MM obligation Surface

Participant		Exchange	Notes
	÷	Underlying Price (IX)	It will be disseminated for each single group belonging to the given Underlying if the MM subscribed to the message and there is an Underlying Price movement.

13 September 2019

#### ATM series for MM obligations

Participant		Exchange	Notes
	÷	Monitoring ATM Series (MU)	For each group the ATM series will be disseminated if the MM subscribed to the message and there is an Underlying Price movement

#### 8.10Unsolicited Services

### Cancellation of all Quotes and Orders for a Member for a Particular Group of Instruments (Initiated by the Exchange or GCM)

This command cancels all orders and quotes belonging to a given member for a particular group of instruments.

Participant		Exchange	Notes
			One NZ message for each cancelled order.
	÷	Order Cancellation Notice (NZ)	DC messages will specify that the action was performed by either the Exchange or the General Clearing Member (GCM).
	÷	Cancellation of all Quotes Notice (NP)	A single NP message for all the cancelled quotes for the instruments belonging to the group.

#### Eliminate all Orders for an Instrument (Initiated by the Exchange or GCM)

Participant	_	Exchange	Notes
	÷	Order Cancellation Notice (NZ)	One NZ message for each cancelled order. DC messages will specify that the action was performed by either the Exchange or the General Clearing Member (GCM).
	÷	Cancellation of all Quotes Notice (NP)	One NP message to all members to indicate that all quotes for all instruments on that group have been cancelled.

#### Cancel all Quotes of a Market Maker or a Group (Initiated by the Exchange or GCM)

Participant		Exchange	Notes
	÷	Cancellation of all Quotes Notice (NP)	A single NP message for all the cancelled quotes of each group. DC message will specify that the action was performed by either the Exchange or the General Clearing Member (GCM).

#### Cancel Trade on the Last Price (Initiated by the Exchange)

Participant		Exchange	Notes
	÷	Execution Cancellation Notice (NX)	

### Create Manual Trade with or without Impact on the Last Price (Performed by the Exchange at Client's request)

Participant		Exchange	Notes
	÷	Execution Notice (NT)	
	÷	Leg Execution Notice (NL)	Several Leg Execution Notices NL sent for each NT if instrument is a strategy.

#### 8.11 Strategy Messages

#### User defined Strategy (FLEXCO) Creation Request Accepted

Participant		Exchange	Notes
New Strategy Instrument (ON)	÷		
	÷	New Strategy Instrument Acknowledgement (KN)	



#### User defined Strategy (FLEXCO) Creation Request Rejected

Participant		Exchange	Notes
New Strategy Instrument (ON)	<i>→</i>		
	÷	Error Notice (ER)	

#### Strategy Order trades partially against contra strategy order (same book)

Participant initiator		Exchange		Participant (1n)	Notes
Order Entry (OE)					
	÷	Order Acknowledgment (KE)			Order Status = (blank) Order put in book
	÷	Execution Notice (NT)			Quantity Traded
	÷	Leg Execution Notice (NL)			One NL message per leg sent for each NT on the strategy to the submitting trader.
	÷	Best Price Setter Notice (BP) If the BPS is configured and the order price improves the market			Best Price Setter = 1
		Execution Notice (NT)	<i>→</i>		
		Leg Execution Notice (NL)	<i>→</i>		One NL message per leg sent for each NT on the strategy to the counterpart trader



13 September 2019

#### Strategy Order fully trades against contra leg order (implied trade)

Participant initiator		Exchange		Participant (1n)	Notes
Order Entry (OE)					
	÷	Order Acknowledgment (KE)			Order Status = X: Order Executed
	÷	Execution Notice (NT)			Execution Notice for strategy instrument trade.
	÷	Leg Execution Notice (NL)			Leg Execution Notices for NT message on strategy instrument.
		Execution Notice (NT)	<i>→</i>		Execution Notices for each counterpart resting leg order

#### 8.12Pre-Trade Validation Messages

#### Risk limits configuration or update by Risk Manager

Sail Participant		Exchange		Participant Risk Manager	Notes
			÷	Risk Limits Configuration MK	This message is used by Risk Managers to set risk limits for their managed entities
		Bulk Command Message Acknowledge LB	<i>→</i>		This message acknowledges the receipt of MK: Risk Limits Configuration
		Risk Limits Usage Notice MN	<i>→</i>		This message is sent by the Exchange to notify of current Risk Limits usage status after limits re-evaluation
	÷	Order Cancellation NZ			All Sail Participant orders on the traded instrument/group are cancelled if any trade limit is breached Status = <b>T</b>
	÷	Quotes cancellation NP			All Sail Participant quotes on the traded instrument/group are cancelled if any trade limit is breached Cancel Reason = <b>S</b>

13 September 2019

#### Order Triggers a Risk Limit Usage Notification

Sail Participant		Exchange		Participant Risk Manager	Notes
Order Entry/Order Modification OE/OM	÷				New order or modified causes a exposure risk limit to be reached
	÷	Order/Modification Acknowledgment KE/KM			The order or modification is acknowledged
		Risk Limits Usage Notice MN	÷		This message is sent by the Exchange to notify of current Risk Limits usage status

#### **Order Triggers Exposure Risk Limit**

An incoming order hits a configured exposition risk limit and is rejected.

Sail Participant		Exchange	Notes
Order Entry/Order Modification OE/OM	<i>→</i>		New order or modification would cause a risk limit to be reached
	÷	Error Message ER	The rejection message will contain a specific error code indicating the limit that caused the rejection

#### Trade Triggers Traded Risk Limit

An incoming order trades against trader booked order(s) and traded Risk limits configured for her team on the specific instrument is breached.

Sail Participant	Exchange			Participant Risk Manager	Notes
	÷	Execution Notice NT			Creation of a new trade causes a RiskLimit to be exceeded
		Risk Limits Usage Notice MN	÷		This message is sent by the Exchange to notify of current Risk Limits usage status

Sail Participant	Exchange		Participant Risk Manager	Notes
	÷	Order Cancellation NZ		All Sail Participant orders on the traded instrument are cancelled Status = <b>T</b>
	÷	Quotes cancellation NP		All Sail Participant quotes on the traded instrument are cancelled Cancel Reason = <b>S</b>

#### Market Maker Risk limits configuration or update by Risk Manager

Sail Participant		Exchange		Participant Risk Manager	Notes
			÷	Risk Limits Configuration MQ	This message is used by Risk Managers to set risk limits for their managed entities
		Bulk Command Message Acknowledge LB	÷		This message acknowledges the receipt of MK: Risk Limits Configuration and MQ: MMP Limits Configuration messages
	÷	MMP Parameters Update Notice NQ			This message is sent unsolicited by the Exchange to notify of effective Market Maker Protection parameters in case the one set by the Risk Manager are stricter than the one previously in force.

#### Risk Manager sends a Master Switch message to disable a Trader

Sail Participant		Exchange		Participant Risk Manager	Notes
			÷	Risk Master Switch RT	This message is sent by a Risk Manager with the intent of disabling a managed entity and removing all its order and quotes.
		Standard Acknowledgment KO	÷		This message acknowledges the correct receipt of the RT message. In case of error an ER message is sent.
	÷	Order Cancellation NZ			All Trader's orders are cancelled Status = <b>R</b>

13 September 2019

Sail Participant	Exchange		Participant Risk Manager	Notes
	÷	Quotes cancellation NP		All Trader's quotes are cancelled Cancel Reason = <b>S</b>

#### 9.0 Appendix B: Negotiated Transaction Message Flow

#### 9.1 Cross/Committed functionality

#### **Committed orders traded**

Participant		Exchange		Participant Counterpart	Notes
Order Entry (OE)	<i>→</i>				A valid Committed order is entered
	÷	Order Acknowledgment (KE)			Order Status = Booked
			÷	Order Entry (OE)	A valid opposite Committed order is entered
		Order Acknowledgment (KE)	<i>→</i>		Order Status = Executed
	÷	Execution Notice (NT)			
		Execution Notice (NT)	<i>→</i>		

#### Committed orders: deferred trades

Deferral functionality is available for Bilateral Negotiated Transactions, the example below refers to Committed orders, but it's also valid for Cross, Bundle orders and Inter Dealer Broker orders.

Participant

Exchange

Participant Counterpart

Notes

Participant		Exchange		Participant Counterpart	Notes
Order Entry (OE)	<i>→</i>				A valid Committed order is entered with Deferral request Deferred Publication=D
	÷	Order Acknowledgment (KE)			Order Status = Booked
			÷	Order Entry (OE)	A valid opposite Committed order is entered
		Order Acknowledgment (KE)	<i>→</i>		Order Status = Executed
	÷	Execution Notice (NT)			In case Deferral requirements are met
		Execution Notice (NT)	→ →		<ul> <li>TradeStatus= B: Approved and Deferred</li> <li>AdditionalTradeReason= 3: Trade details will be published at the end of the day – At least one counterparty required deferred publication</li> </ul>
End of Day					
	÷	Execution Notice (NT)			TradeStatus= A: Approved and Published
		Execution Notice (NT)	÷		Trade is published via HSVF

#### Committed orders: trades executed immediately

Participant		Exchange	Participant Counterpart	Notes
Order Entry (OE)	÷			A valid Committed order is entered with: Deferred Publication=D
	÷	Order Acknowledgment (KE)		Order Status = Booked

Participant		Exchange		Participant Counterpart	Notes
			÷	Order Entry (OE)	A valid opposite Committed order is entered
		Order Acknowledgment (KE)	<i>→</i>		Order Status = Executed
		Execution Notice (NT)			In case Deferral requirements are not met, trade is executed immediately
	÷				Deferred Publication=I: Immediate
					TradeStatus= A: Approved and Published

#### Committed order cancelled by participant before it trades

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		A valid Committed order is entered
	÷	Order Acknowledgment (KE)	Order Status = Booked
Order Cancellation (XE)	<i>→</i>		
	÷	Order Cancellation Acknowledge (KZ)	Order Status= Cancelled

#### Pending Committed order cancelled during the End Of Day Process

Participant		Exchange	Notes
Order Entry (OE)	<i>→</i>		A valid Committed order is entered. Duration type is Day.
	<b>~</b>	Order Acknowledgment (KE)	Order Status = Booked
End Of Day			

Participant		Exchange	Notes
	÷	Order Cancellation Notice (NZ)	NZ is emitted per unexecuted Committed order entered for a given date. Order Status= Eliminated

#### **Entering an Accepted Cross Order**

Participant		Exchange	Notes
Cross Entry (OX)	<i>→</i>		A valid Cross order is entered.
	÷	Standard Acknowledgment (KO)	
	÷	Execution Notice (NT)	2 times

#### **Cross Order Rejected**

Participant		Exchange	Notes
Cross Entry (OX)	<i>→</i>		A invalid Cross order is entered.
	÷	Error Notice (ER)	

#### 9.1 Flexible Series

#### Standard flow for flexible series creation

Participant		Exchange	Notes
Flexible creation request (FS)	$\rightarrow$		
	÷	Flexible creation acknowledgment (KF)	Flexible creation ack. If creation is accepted, field 'Creation Status' will be returned with new value 'F': Flexible series created

### Technical Specifications

13 September 2019

### Message flow in case an instrument with the same characteristics already exists as a Flexible series

Participant		Exchange	Notes
Flexible creation request (FS)	<i>&gt;</i>		
	÷	Flexible creation acknowledgment (KF)	Instrument creation ack. In case the instrument already exists on the market, KF message will returned the characteristics (Sico, ISIN, External Symbol) of the existing series and Creation Status= 'A': Flexible series already exists

### Message flow in case an instrument with the same characteristics already exists as a Standard series

Participant		Exchange	Notes
Flexible creation request (FS)	<i>&gt;</i>		
	÷	Flexible creation acknowledgment (KF)	Instrument creation ack. In case the instrument already exists on the market, KF message will returned the characteristics (Sico, ISIN, External Symbol) of the existing series and Creation Status= 'S': Standard series already exists

#### Message flow in case of flexible creation is rejected

Participant		Exchange	Notes
Flexible creation request (FS)	÷		
	÷	Error Notice (ER) unsolicited	Example of Errors: 0014: Syntax Error/Bad Delivery Date 0014: Syntax Error/ Option Style must not be specified for Futures 0014: Syntax Error/ Strike Price must not be specified for Futures 0014; Syntax Error/ Call/Put must not be specified for Futures 9020: Firm Creation Quotas Has Been Reached 9031: Flex Series Delivery Date is not a valid trading day 9032: Flex Series Delivery Date is out of allowed range 1002: Group ID does not exist

#### 9.2 Inter Dealer Broker (IDB) Order

#### Single Proposal Request with Flexible series completed successfully

Participant initiator

Exchange

Participant (1 to n)

Notes

Participant initiator		Exchange		Participant (1 to n)	Notes
Proposal Request (PR)	<i>→</i>				Trade proposal sent by the Initiator. It will be possible to specify at this level whether the trade is Published or Unpublished (only for flexible instruments).
					Proposal acknowledgment indicating the double of legs specified in the initial Proposal Request with the <b>Trader ID</b> used.
					Proposal Status = W: Waiting for approval
With original Initiator UserSequenceld	÷	Proposal Acknowledgment (KB)			The Proposal legs with Order Status = W: Waiting for approval refer to the Proposal to be sent to the Entering Firm ID and the reverse sided Proposal to be sent to Opposite Firm ID (in the original PR).
					Proposal Type = T: Inter Dealer Broker Order
					Order Proposal Notice broadcast to all Participants of the Counterparty Firms (Entering and Opposite Firm of the Initial PR).
		Proposal Notice (PN) unsolicited	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related leg information.
					Proposal Status = W: Waiting for approval
					Order Status = W: Waiting for approval
					Proposal Type = T: Inter Dealer Broker Order
			÷	Order Proposal (OB)	Proposal Acceptance for one Counterparty Firm.
		Proposal Acknowledgement	→		Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		(КВ)	7		Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for Approval

Participant initiator		Exchange		Participant (1 to n)	Notes
		Order Acknowledgement (KE)	<i>→</i>		A single KE will be sent for every leg (committed order) of the Order Proposal.
					Order Status = (blank): Order put in the order book
With original Initiator UserSequenceld	÷	Proposal Update (PU) unsolicited			Order Proposal leg acceptance notice sent to the Initiator Participant with the details of the leg accepted.
					Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for Approval
			÷	Order Proposal (OB)	Proposal Acceptance of the other involved Counterparty Firm.
		Proposal Acknowledgement			Proposal Acceptance acknowledgment will be received by the Participan that sent the OB with the <b>Trader ID</b> used.
	(KB)	<i>→</i>		Order Status = (blank): Order put in the order book	
					Proposal Status = A: Approved
		Order Askenuladerment (KE)	,		A single KE will be sent for every leg (committed order) of the OB.
		Order Acknowledgement (KE)	<i>→</i>		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceld	÷	Proposal Update (PU) unsolicited			Proposal Update for leg acceptance notice sent to the Initiator Participant with the details of accepted leg
					Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = A: Approved</b>

Participant initiator		Exchange		Participant (1 to n)	Notes
		Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been completed successfully All Participants belonging to the Counterparty Firms will receive a unique PN containing all related Proposal leg information initially sent plus the updated status: Order Status = (blank): Order put in the order book Proposal Status = A: Approved Note: No further Proposal Notice (PN) will be received after Proposal Status = A: Approved
	÷	Execution Notice (NT) unsolicited	<b>→</b>		Trade Execution

#### Multiple Proposal Request against different Counterparties completed successfully

Participant initiator		Exchange	Participant (1 to n)	Notes
Proposal Request (PR)	<i>→</i>			Multiple Proposal Request sent by the Initiator.
With original Initiator UserSequenceId	÷	Proposal Acknowledgment (KB)		Proposal acknowledgment indicating the double of Legs specified in the initial Proposal Request with the Trader ID used. Proposal Status = W: Waiting for approval The Proposal legs with Order Status = W: Waiting for approval refer to the Proposal to be sent to the Entering Firm ID and the reverse sided Proposal to be send to Opposite Firm ID (in the original PR). Proposal Type = T: Inter Dealer Broker Order

Participant initiator		Exchange		Participant (1 to n)	Notes
					Order Proposal Notice broadcast to all Participants of the Counterparty Firms (Entering and Opposite Firm of the Initial PR).
		Proposal Notice (PN) unsolicited	<i>→</i>		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related leg information.
					Proposal Type = T: Inter Dealer Broker Order
					Proposal Status = W: Waiting for approval
					Order Status = W: Waiting for approval
			÷	Order Proposal (OB)	Proposal Acceptance for one Counterparty Firm.
		Proposal Acknowledgement	→		Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		(КВ)			Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for Approval
		Order Askasuladramont (KE)	÷		A single KE will be sent for every leg (committed order) of the OB.
		Order Acknowledgement (KE)	7		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Proposal leg acceptance notice sent to the Initiator Participant with the details of multiple leg(s) accepted.
					Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for Approval
			÷	Order Proposal (OB)	Proposal Acceptance of the other Counterparty Firm.
		Proposal Acknowledgement			Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		(KB)	÷		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
		Order Acknowledgement (KE)	<i>→</i>		A single KE will be sent for

Participant initiator		Exchange		Participant (1 to n)	Notes
					every leg (committed order) of the OB.
					Order Status = (blank): Order put in the order book
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Proposal Update notice sent to the Initiator Participant with the details of multiple leg(s) accepted
					Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = A: Approved</b>
	÷	Execution Notice (NT) unsolicited	÷		Trade Execution
					Message sent to notify the Proposal has been completed successfully
		Proposal Notice (PN)	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related Proposal leg information initially sent plus the updated status:
		unsolicited	,		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Notice (PN) will be received after <b>Proposal</b> Status = A: Approved
			÷	Proposal Cancellation (XP)	In case a <b>Proposal Status</b> = <b>A: Approved</b> is triggere- it won't be possible to refuse the Proposal (XP)
		Error Notice (ER)	<i>→</i>		Error Code = 9033: Invalid Proposal ID or Confirmation Order ID

#### PR Leg Modification by Participants (before Proposal Execution/Refusal)

Participant initiator

Exchange

Participant (1..n)

Notes

		÷	Order Cancellation (XE)	Proposal leg cancellation request. This message can be sent by Participant once an OB has already been submitted but it's his intention to modify the committed order leg. It will be possible to re- submit it again with different clearing parameters.
	Order Cancellation Acknowledgement (KZ)	<i>→</i>		Proposal leg cancellation acknowledgment. Order Status = A: Cancelled by trader
				Sent to the IDB Initiator Participant connection. Contains only the cancelled
÷	Proposal Update (PU) unsolicited			leg and Indicates the updated status: Order Status = W: Waiting for approval
				Proposal Status = W: Waiting for approval
		÷	Order Proposal (OB)	Re-submit Proposal Acceptance with reviewed Clearing Parameters. Note: This action is possible only if the proposal is still in <b>Proposal Status = W</b> :
				Waiting for Approval. In case of Proposal Status = A: Approved or Proposal Status = R: Refused the system will return an Error
	Proposal Acknowledgement (KB)	<i>→</i>		Proposal Acceptance acknowledgment will be received by the Participant that sent the OB. Order Status = (blank): Order put in the order book
				Proposal Status = W: Waiting for approval
	Order Acknowledgement (KE)	÷		A single KE will be sent for every leg (committed order) of the OB Order Status = (blank): Order put in the order
		Acknowledgement (KZ)         ←       Proposal Update (PU) unsolicited         Proposal Acknowledgement (KB)	Image: Constant of Acknowledgement (KZ)       →         ←       Proposal Update (PU) unsolicited       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓         ↓       ↓       ↓	Order Cancellation Acknowledgement (KZ)     →       ←     Proposal Update (PU) unsolicited     ↓       ←     Order Proposal (OB)       ←     Order Proposal (OB)       Proposal Acknowledgement (KB)     →

Participant initiator		Exchange	Participant (1n)	Notes
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited		Proposal leg acceptance notice sent to the Initiator Participant with the details of all the leg(s) accepted.
				Order Status = (blank): Order put in the order book
				Proposal Status = W: Waiting for Approval

#### **PR Cancellation by Initiator**

Participant initiator		Exchange		Participant (1n)	Notes
Proposal Cancellation (XP)	÷				Proposal cancellation specifying <u>any leg</u> (Original Order Id) of the Proposal and the <b>Refusal Reason</b>
	÷	Proposal Cancellation Acknowledgement (KX)			Proposal cancellation acknowledgment with the latest Order Status and the <b>Refusal Reason</b> . Specifies the <b>Trader ID</b> used. <b>Proposal Status = R:</b> <b>Refused</b>
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Sent to the PR Initiator Participant connection. Contains only the refused leg with the latest Order Status and Indicates the <b>Refusal</b> <b>Reason</b> . <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Updates (PU) will be received after <b>Proposal Status = R:</b> <b>Refused</b>
		Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been refused. All Participants belonging to the Counterparty Firms will receive a unique PN containing all related Proposal leg information initially sent, with their latest Order Status. <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Notice (PN) will be received after <b>Proposal Status = R:</b> <b>Refused</b>

Participant initiator	Exchange		Participant (1n)	Notes
		¢	Order Proposal (OB)	In case a <b>Proposal Status =</b> <b>R: Refused</b> is triggered, it will no longer be possible to accept (OB) or refuse (XP) a Proposal leg. For such transactions, the system will return an <b>Error Code = 9040:</b> <b>Proposal is no longer active</b> Note: In case an order (OB) has already been sent before the Proposal cancellation request, it will remain in the book of committed orders and it will expire at the end of trading day
	Error Notice (ER)	÷		Error Code = 9040: Proposal is no longer active

#### PR Leg Refusal by Participant

Participant initiator		Exchange		Participant (1n)	Notes
			÷	Proposal Cancellation (XP)	Proposal leg refusal by Participant specifying an <u>own</u> <u>leg</u> (Original Order Id) received in the initial PN and the <b>Refusal Reason</b> .
		Proposal Cancellation Acknowledgement (KX)	÷		Proposal leg refusal acknowledgment with the latest Order Status and the <b>Refusal Reason</b> . Specifies the <b>Trader ID</b> used. <b>Proposal Status = R:</b> <b>Refused</b>
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Sent to the IDB Initiator Participant connection. Contains only the refused leg indicating the latest Order Status and the <b>Refusal</b> <b>Reason</b> . <b>Proposal Status = R:</b> <b>Refused</b> . Note: No further Proposal Updates (PU) will be received after <b>Proposal Status = R:</b> <b>Refused</b> .

Participant initiator	Exchange	Exchange		Notes
				Message sent to notify the Proposal has been refused.
	Proposal Notice (PN) unsolicited	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related Proposal leg information initially sent, with their latest Order Status.
				Proposal Status = R: Refused
				Note: No further Proposal Notice (PN) will be received after <b>Proposal Status = R:</b> <b>Refused</b>

#### **PR Cancellation by Market Supervision**

Participant initiator		 Exchange		Participant (1n)	Notes
		Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been refused. All Participants belonging to the Counterparty Firms will receive a unique PN containing all related Proposal leg information initially sent, with their latest Order Status. <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Notice (PN) will be received after <b>Proposal</b> <b>Status = R: Refused</b>
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Sent to the IDB Initiator Participant connection in case of Market Operations Activities. Contains only the refused leg information and Indicates the <b>Refusal</b> <b>Reason</b> . <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = R: Refused</b>

#### PR Leg Cancellation by Market Supervision

Participant initiator

Exchange

Participant (1..n)

Notes

Participant initiator		Exchange		Participant (1n)	Notes
	÷	Order Cancellation Notice (NZ) unsolicited	÷		Order cancellation notice for each cancelled Proposal leg (previously confirmed) Order Status = M: Eliminated by Market Control
With original Initiator		Proposal Update (PU)			Sent to the IDB Initiator Participant connection in case of Market Operations Activities. It is received one PU update for each refused
UserSequenceId	÷	unsolicited			leg. Order Status = W: Waiting for approval Proposal Status = W: Waiting for Confirmation

#### Proposal Request automatic cancellation at market closure (expiry)

Participant initiator		Exchange		Participant (1n)	Notes
					Order expiration notice at the end of the trading day. Order Status = E: The
		Order Cancellation Notice (NZ)			order has been eliminated by the trading engine.
	÷	unsolicited	÷		Proposal Requests are valid only during the trading day.
					No specific message (PU nor PN) will be sent at market closure, but all confirmed legs will be removed.

#### 9.3 Bundle Order

Single Bundle Order with Flexible series completed successfully

Participant initiator		Exchange	_	Participant (1 to n)	Notes
Bundle Order (BO)	÷				Bundle proposal sent by the Initiator. It will be possible to specify at this level whether the trade is Published or Unpublished (only for flexible instruments).

Participant initiator		Exchange		Participant (1 to n)	Notes
With original Initiator UserSequenceId	÷	Proposal Acknowledgment (KB)			Proposal acknowledgment indicating the double of Legs specified in the initial Bundle Order Proposal with own Trader ID used. Proposal Type = B: Bundle Order Proposal Status = W: Waiting for approval The Bundle Order Legs with Order Status = (blank): Order put in the order book relate to the own committed orders specified. The Bundle Order legs with Order Status = W: Waiting for approval refer to the reverse sided Proposal(s) to be sent to Opposite Firm(s) ID (in
With original Initiator UserSequenceId	÷	Proposal Acknowledgement (KE)			the original BO). A single KE message will be sent for every leg (committed order) of the Bundle Order. Order Status = (blank):
					Order put in the order book
					Order Proposal Notice broadcast to all Participants of the Counterparty Firms.
		Proposal Notice (PN)	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related leg information.
					Proposal Type = B: Bundle Order
					Proposal Status = W: Waiting for approval
					Order Status = W: Waiting for approval
			÷	Order Proposal (OB)	Proposal Acceptance(in case the Participant is involved in more than one leg of the Bundle).
		Proposal Acknowledgement			Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		(KB)	÷		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved

Participant initiator		Exchange		Participant (1 to n)	Notes
		Order Acknowledgement (KE)	<i>→</i>		A single KE will be sent for every leg (committed order) of the Bundle.
			-		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceld	÷	Proposal Update (PU) unsolicited			Bundle leg acceptance notice sent to the Initiator Participant with the details of accepted leg.
					Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = A: Approved</b>
					Message sent to notify the Proposal has been completed successfully
		Proposal Notice (PN)			All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sem plus the updated status:
		unsolicited	<i>→</i>		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Notice (PN) will be received after <b>Proposal</b> <b>Status = A: Approved</b>
	÷	Execution Notice (NT) unsolicited	÷		Trade Execution

#### Multiple Bundle Order against different Counterparties completed successfully

Participant initiator		Exchange	 Participant (1 to n)	Notes
Bundle Order (BO)	→			Bundle proposal sent by the Initiator.

Participant initiator		Exchange		Participant (1 to n)	Notes
					Proposal acknowledgment indicating the double of Legs specified in the initial Bundle Order Proposal with own <b>Trader ID</b> used.
					Proposal Type = B: Bundle Order
					Proposal Status = W: Waiting for approval
With original Initiator UserSequenceld	÷	Proposal Acknowledgment (KB)			The Bundle Order Legs with Order Status = (blank): Order put in the order book relate to the own committed orders specified.
					The Bundle Order legs with Order Status = W: Waiting for approval refer to the reverse sided Proposal(s) to be send to Opposite Firm(s) ID.
With original Initiator	÷	Order Acknowledgement (KE)			A single KE message will be sent for every leg (committed order) of the Bundle Order.
UserSequenceld					Order Status = (blank): Order put in the order book
					Proposal Notice broadcast to all Participants of the Counterparty Firms.
		Proposal Notice (PN) unsolicited	<b>→</b>		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related leg information.
		unsonchea			Proposal Type = B: Bundle Order
					Proposal Status = W: Waiting for approval
					Order Status = W: Waiting for approval
			÷	Bundle Proposal (OB)	Proposal Acceptance for one Counterparty Firm.
		Proposal Acknowledgement			Proposal Acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		(KB)	→		Order Status = (blank): Order put in the order book
					Proposal Status = W: Waiting for Approval

Participant initiator		Exchange		Participant (1 to n)	Notes
					A single KE will be sent for every leg (committed order) of the Bundle.
		Order Acknowledgement (KE)	<i>→</i>		Order Status = (blank): Order put in the order book
					Proposal Type = B: Bundle Order
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Bundle leg acceptance notice sent to the Initiator Participant with the details of multiple leg(s) accepted.
					Order Status = (blank): Order put in the order book
					Proposal Status = W: Waiting for Approval
			÷	Order Proposal (OB)	Proposal Acceptance of the other Counterparty Firm.
					Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with the <b>Trader ID</b> used.
		Proposal Acknowledgement (KB)	<i>→</i>		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					A single KE will be sent for every leg (committed order) of the Bundle.
		Order Acknowledgement (KE)	÷		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Bundle leg acceptance notice sent to the Initiator Participant with the details of multiple leg(s) accepted.
					Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = A: Approved</b>

Participant initiator		Exchange		Participant (1 to n)	Notes
		Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been completed successfully All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sent plus the updated status: Order Status = (blank): Order put in the order book Proposal Status = A: Approved Note: No further Proposal Notice (PN) will be received after Proposal Status = A: Approved
	÷	Execution Notice (NT) unsolicited	<i>→</i>		Trade Execution
			÷	Proposal Cancellation (XP)	In case a <b>Proposal Status</b> = A: Approved is triggered it won't be possible to refuse the Proposal (XP)
		Error Notice (ER)	÷		Error Code = 9033: Invalid Proposal ID or Confirmation Order ID

#### Multiple Bundle Order against same Counterparty completed successfully

Workflow for Bundle Orders where the same Counterparty Firm is involved more than once.

Participant initiator		Exchange	Participant (1 to n)	Notes
Bundle Order (BO)	÷			Bundle proposal sent by the Initiator. It will be possible to specify at this level whether the trade is Published or Unpublished (only for flexible instruments).

Participant initiator		Exchange		Participant (1 to n)	Notes
					Proposal acknowledgment indicating the double of Legs specified in the initial Bundle Order Proposal with own <b>Trader ID</b> used.
					Proposal Type = B: Bundle Order
					Proposal Status = W: Waiting for approval
With original Initiator UserSequenceId	÷	Proposal Acknowledgment (KB)			The Bundle Order Legs with <b>Order Status =</b> (blank): <b>Order put in the</b> <b>order book</b> relate to the own committed orders specified.
					The Bundle Order legs with <b>Order Status = W:</b> <b>Waiting for approval</b> refer to the reverse sided Proposal(s) to be send to <b>Opposite Firm(s) ID.</b>
With original Initiator	÷	Order Acknowledgement (KE)			A single KE message will be sent for every leg (committed order) of the Bundle Order.
UserSequenceld					Order Status = (blank): Order put in the order book
					Order Proposal Notice broadcast to all Participants of the Counterparty Firms.
		Proposal Notice (PN) unsolicited	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related leg information.
					Proposal Type = B: Bundle Order
					Proposal Status = W: Waiting for approval
					Order Status = W: Waiting for approval
			÷	Order Proposal (OB)	Multiple Proposal Acceptance(in case the Participant is involved in more that one leg of the Bundle).

Participant initiator		Exchange		Participant (1 to n)	Notes
		Proposal Acknowledgement	→		Proposal Acceptance acknowledgment will be received by the Participant that sent the OB with own <b>Trader ID</b> used.
		(КВ)	-		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
		Order Aslanuda darmart (VE)	,		A single KE will be sent for every leg (committed order) of the Bundle.
		Order Acknowledgement (KE)	<i>&gt;</i>		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Bundle leg acceptance notice sent to the Initiator Participant with the details of multiple leg(s) accepted
					Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = A: Approved</b>
					Message sent to notify the Proposal has been completed successfully
		Proposal Notice (PN)	,		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sen plus the updated status:
		unsolicited	<i>→</i>		Order Status = (blank): Order put in the order book
					Proposal Status = A: Approved
					Note: No further Proposal Notice (PN) will be received after <b>Proposal</b> <b>Status = A: Approved</b>
	÷	Execution Notice (NT) unsolicited	÷		Trade Execution

#### BO Leg Modification by Participants (before Proposal Execution/Refusal)

Participant initiator		Exchange		Participant (1n)	Notes
			÷	Order Cancellation (XE)	Bundle leg cancellation request. This message can be sent by Participant once an OB has already been submitted but it's his intention to modify the committed order leg. It will be possible to re- submit it again with different clearing parameters.
		Order Cancellation Acknowledgement (KZ)	÷		Bundle leg cancellation acknowledgment. Order Status = A: Cancelled by trader
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			Sent to the BO Initiator Participant connection. Contains only the cancelled leg and Indicates the updated status: Order Status = W: Waiting for approval Proposal Status = W: Waiting for approval
			÷	Order Proposal (OB)	Re-submit Proposal Acceptance with reviewed Clearing Parameters. Note: This action is possible only if the proposal is still in Proposal Status = W: Waiting for Approval. In case of Proposal Status = A: Approved or Proposal Status = R: Refused the system will return an Error
		Proposal Acknowledgement (KB)	÷		Proposal Acceptance acknowledgment will be received by the Participant that sent the OB. Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for approval
		Order Acknowledgement (KE)	÷		A single KE will be sent for every leg (committed order) of the Bundle Order Status = (blank): Order put in the order book

Participant initiator		Exchange	Participant (1n)	Notes
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited		Bundle leg acceptance notice sent to the Initiator Participant with the details of all the leg(s) accepted. Order Status = (blank): Order put in the order book Proposal Status = W: Waiting for Approval

#### BO Leg Modification by Initiator (before Proposal Execution/Refusal)

Participant initiator		Exchange	Participant (1n)	Notes
Order Cancellation (XE)	<b>→</b>			Bundle leg cancellation request. This message can be sent by the Initiator once an BO has already been submitted but it's his intention to modify the committed order leg. It will be possible to re- submit it again with different clearing parameters.
	÷	Order Cancellation		Bundle leg cancellation acknowledgment.
		Acknowledgement (KZ)		Order Status = A: Cancelled by trader
With original		Proposal Update (PU) unsolicited		Sent to the BO Initiator Participant connection. Contains only the cancelled leg and Indicates the updated status:
Initiator UserSequenceld	÷			Order Status = W: Waiting for approval
				Proposal Status = W: Waiting for approval
				Re-submit Proposal Acceptance with reviewed Clearing Parameters.
Order Proposal (OB)	÷			Note: This action is possible only if the proposal is still in Proposal Status = W: Waiting for Approval.
				In case of Proposal Status = A: Approved or Proposal Status = R: Refused the system will return an Error

Participant initiator		Exchange		Participant (1n)	Notes
					Proposal Acceptance acknowledgment will be received by the Participant that sent the OB.
	÷	Proposal Acknowledgement (KB)			Order Status = (blank): Order put in the order book
					Proposal Status = W: Waiting for approval
					A single KE will be sent for every leg (committed order) of the Bundle
	← Order Acknov	Order Acknowledgement (KE)	wledgement (KE)		Order Status = (blank): Order put in the order book
With original Initiator UserSequenceld	÷	Proposal Update (PU) unsolicited			Bundle leg acceptance notice sent to the Initiator Participant with the details of all the leg(s) accepted.
					Order Status = (blank): Order put in the order book
					Proposal Status = W: Waiting for Approval

#### **BO Cancellation by Initiator**

Participant initiator		Exchange	Participant (1n)	Notes
Bundle Cancellation (XP)	÷			Bundle order cancellation specifying <u>any leg</u> (Original Order Id) of the BO and the <b>Refusal Reason</b>
	÷	Proposal Cancellation Acknowledgement (KX)		Bundle order cancellation acknowledgment with the latest Order Status and the <b>Refusal Reason</b> . Specifies the own <b>Trader ID</b> used. <b>Proposal Status = R:</b> <b>Refused</b>
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited		Sent to the BO Initiator Participant connection. Contains only the refused leg with the latest Order Status and Indicates the <b>Refusal</b> <b>Reason</b> . <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Updates (PU) will be received after <b>Proposal Status = R:</b> <b>Refused</b>

Participant initiator	 Exchange		Participant (1n)	Notes
	Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been refused. All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sent, with their latest Order Status. <b>Proposal Status = R:</b> <b>Refused</b> Note: No further Proposal Notice (PN) will be received after <b>Proposal Status = R:</b> <b>Refused</b>
		¢	Order Proposal (OB)	In case a <b>Proposal Status =</b> <b>R: Refused</b> is triggered, it will no longer be possible to accept (OB) or refuse (XP) a BO leg. For such transactions, the system will return an <b>Erroi</b> <b>Code = 9040: Proposal is no</b> <b>longer active</b> Note: In case an order (OB) has already been sent before the Bundle cancellation request, it will remain in the book of committed orders and it will expire at the end of trading day
	Error Notice (ER)	<i>→</i>		Error Code = 9040: Proposa is no longer active

#### **BO Leg Refusal by Participant**

Participant initiator	Exchange	Exchange		Notes
		÷	Proposal Cancellation (XP)	Bundle leg refusal by Participant specifying an <u>own</u> <u>leg</u> (Original Order Id) received in the initial PN and the <b>Refusal Reason</b> .
	Proposal Cancellation Acknowledgement (KX)	÷		Bundle leg refusal acknowledgment with the latest Order Status and the <b>Refusal Reason</b> . Specifies the own <b>Trader ID</b> used. <b>Proposal Status = R:</b> <b>Refused</b>

Participant initiator		Exchange		Participant (1n)	Notes
					Sent to the BO Initiator Participant connection.
With original Initiator ← UserSequenceId	£	Proposal Update (PU) unsolicited			Contains only the refused leg indicating the latest Order Status and the <b>Refusal</b> <b>Reason</b> .
					Proposal Status = R: Refused.
					Note: No further Proposal Updates (PU) will be received after <b>Proposal Status = R:</b> <b>Refused</b>
					Message sent to notify the Proposal has been refused.
		Proposal Notice (PN) unsolicited	÷		All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sent, with their latest Order Status.
					Proposal Status = R: Refused
					Note: No further Proposal Notice (PN) will be received after <b>Proposal Status = R:</b> <b>Refused</b>

#### **BO Cancellation by Market Supervision**

Participant initiator	Exchange	_	Participant (1n)	Notes
	Proposal Notice (PN) unsolicited	÷		Message sent to notify the Proposal has been refused. All Participants belonging to the Counterparty Firms will receive a unique PN containing all related BO leg information initially sent, with their latest Order Status. Proposal Status = R: Refused Note: No further Proposal Notice (PN) will be received after Proposal Status = R: Refused

Participant initiator		Exchange	Participant (1n)	Notes
				Sent to the BO Initiator Participant connection in case of Market Operations Activities.
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited		Contains only the refused leg information and Indicates the <b>Refusal</b> <b>Reason (E.g. Eliminated</b> <b>by Market Supervision)</b> .
				Proposal Status = R: Refused
				Note: No further Proposal Updates (PU) will be received after <b>Proposal</b> <b>Status = R: Refused</b>

#### **BO Leg Cancellation by Market Supervision**

Participant initiator		Exchange		Participant (1n)	Notes
	÷	Order Cancellation Notice (NZ) unsolicited	÷		Order cancellation notice for each cancelled BO leg (previously confirmed) is sent only to the BO Initiator Participant
					Order Status = M: Eliminated by Market Control
					Sent to the BO Initiator Participant connection in case of Market Operations Activities.
With original Initiator UserSequenceId	÷	Proposal Update (PU) unsolicited			One PU update is received for each refused leg.
					Order Status = W: Waiting for approval
					Proposal Status = W: Waiting for Confirmation

#### BO automatic cancellation at market closure (expiry)

Participant initiator

Exchange

Participant (1..n)

Notes

Participant initiator		Exchange		Participant (1n)	Notes
					Order expiration notice at the end of the trading day.
		Order Cancellation Notice (NZ)			Order Status = E: The order has been eliminated by the trading engine.
	÷	← unsolicited	÷		Bundle Orders are valid only during the trading day.
					No specific message (PU nor PN) will be sent at market closure, but all confirmed legs will be removed.